

Maximum Performance (MaP) of UNAR-Compliant High-Efficiency Toilet Fixtures (HETs)

Sorted by Manufacturer

November 2009 Listing

Line item changes or additions to the June (revised) listing are noted below with a dark block on the right margin → →

Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency (AWE) and the California Urban Water Conservation Council (CUWCC). All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK Wall-mounted (W) |
|--|-------------------|--|--|--|--|--------------------------|----------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | 500 grams and more | | | | | | | | | | | | |
| Type/technology of toilet fixture | | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | |
| 15-040 | American Standard | Boulevard EL ADA (one-piece) | 2891.128 (one-piece) | 1,000 | WS | 1 | E | * | | | | HET | F | |
| WS-15 | American Standard | Cadet 3 Flowise EL | 2431.128: 3046.128 bowl, 4019.128 tank | NM | WS | 2 | E | | | | | HET | F | |
| WS-15 | American Standard | Cadet 3 Flowise EL | 2447.128: 3046.128 bowl, 4019.128 tank ('COMPLETE' version; includes bowl, tank, seat & installation mats as one item) | NM | WS | 2 | E | | | | | HET | F | |
| 12-108 | American Standard | Cadet 3 FloWise EL | 2832.128: 3014.128 bowl, 4021.128 tank | 1,000 | WS | 2 | E | | | | | HET | F | |
| WS-15 | American Standard | Cadet 3 FloWise EL (10" rough-in) | 2833.128: 3014.128 bowl, 4019.128 tank | 1,000 | WS | 2 | E | | | | | HET | F | |
| 15-137 | American Standard | Cadet 3 FloWise EL (10" rough-in) | 3379.128: 3014.128 bowl, 4019.128 tank | 1,000 | WS | 2 | E | | | | | HET | F | |
| 14-052 | American Standard | Cadet 3 Flowise EL (lined tank) | 2832.513: 3014.128 bowl, 4021.513 tank(lined) | 1,000 | WS | 2 | E | | | | | HET | F | |
| 12-107 & 12-114 | American Standard | Cadet 3 FloWise EL ADA | 2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU. | 1,000 | WS | 2 | E | * | | | | HET | F | |
| 15-134 | American Standard | Cadet 3 FloWise EL ADA | 2836.128: 3016.128 bowl, 4019.128 tank | 1,000 | WS | 2 | E | * | | | | HET | F | |
| 14-054 | American Standard | Cadet 3 Flowise EL ADA (lined tank) | 2835.513: 3016.128 bowl, 4021.513 tank(lined) | 1,000 | WS | 2 | E | * | | | | HET | F | |
| 14-055 | American Standard | Cadet 3 Flowise EL ADA (one-piece; lined tank) | 2403.513 (one piece; lined tank) | 1,000 | WS | 1 | E | * | | | | HET | F | |
| 12-101 | American Standard | Cadet 3 FloWise RF | 2829.128: 3011.128 bowl, 4021.128 tank | 800 | WS | 2 | R | | | | | HET | F | |
| 14-053 | American Standard | Cadet 3 Flowise RF (lined tank) | 2829.513: 3011.128 bowl, 4021.513 tank(lined) | 1,000 | WS | 2 | R | | | | | HET | F | |
| 14-130 | American Standard | Cadet 3 Flowise RF ADA | 2758.128: 3005.128 bowl, 4021.128 tank | 1,000 | WS | 2 | R | * | * | | | HET | F | |
| 15-041 | American Standard | Cadet 3 FloWise RF ADA | 3377.128: 3005.128 bowl, 4021.128 tank | 1,000 | WS | 2 | R | * | | | | HET | F | |
| 15-132 | American Standard | Cadet 3 FloWise RF ADA (lined tank) | 2758.513: 3005.128 bowl, 4021.513 tank (lined) | 1,000 | WS | 2 | R | * | | | | HET | F | |
| WS-14 | American Standard | Cadet Flowise EL | 2462.100: 3481.100 bowl, 4142.100 tank | NM | WS | 2 | E | | | | | HET | F | |
| WS-14 | American Standard | Cadet Flowise EL ADA | 2467.100: 3483.100 bowl, 4142.100 tank | NM | WS | 2 | E | * | | | | HET | F | |
| 10-127 | American Standard | Compact Cadet 3 FloWise EL ADA | SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank) | 1,000 | WS | 1 | E | * | | | | HET | F | |
| 15-042 | American Standard | EcoFusion EL ADA | 3380.216: 3710.216 bowl, 4349.216 tank | 1,000 | WS | 2 | E | * | * | | | HET | F | |
| 10-126 | American Standard | FloWise Dual Flush EL | 2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank | 900 | WS | 2 | E | | * | | | HET | F | |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|--------------------------------------|--|---|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| 12-112 | American Standard | FloWise Dual Flush EL (insulated tank) | SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank (lined) | 800 | WS | 2 | E | | * | | | HET | | | F |
| 12-113 & 12-116 | American Standard | FloWise Dual Flush EL ADA | SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516: each combination with 3073 bowl, 4035 tank. | 600 | WS | 2 | E | * | * | | | HET | | | F |
| 12-111 & 12-115 | American Standard | FloWise Dual Flush EL ADA (insulated tank) | SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516: each combination with 3073 bowl, 4035.516 tank (lined) | 500 | WS | 2 | E | * | * | | | HET | | | F |
| 15-135 | American Standard | FloWise Dual Flush RF | 2489.216: 3074.216 bowl, 4035.216 tank | 600 | WS | 2 | R | | * | | | HET | | | F |
| 15-136 | American Standard | FloWise Dual Flush RF (lined tank) | 2489.516: 3074.216 bowl, 4035.516 tank (lined) | 600 | WS | 2 | R | | * | | | HET | | | F |
| 10-021 | American Standard | FloWise EL | 2073.014: 3018 bowl, 4023.014 tank | 750 | WS | 2 | E | | | | | | HET | | F |
| 15-043 | American Standard | FloWise EL ADA COMPLETE | 3378.128: 3016.128 bowl, 4021.128 tank | 1,000 | WS | 2 | E | * | | | | | HET | | F |
| 15-123 | American Standard | Flowise RF | 2880.128: 3011.128 bowl, 4021.128 tank | 1,000 | WS | 2 | R | | | | | | HET | | F |
| 14-132 | American Standard | H2Option Siphonic Dual Flush EL | 2887.216: 3706.216 bowl, 4339.216 tank | 1,000 | WS | 2 | E | | * | | | HET | | | F |
| 15-125 | American Standard | H2Option Siphonic Dual Flush EL (lined tank) | 2887.516: 3706.216 bowl, 4339.516 tank (lined) | 1,000 | WS | 2 | E | | * | | | HET | | | F |
| 14-131 | American Standard | H2Option Siphonic Dual Flush EL ADA | 2886.216: 3705.216 bowl, 4339.216 tank | 1,000 | WS | 2 | E | * | * | | | HET | | | F |
| 15-124 | American Standard | H2Option Siphonic Dual Flush EL ADA (lined tank) | 2886.516: 3705.216 bowl, 4339.516 tank (lined) | 1,000 | WS | 2 | E | * | * | | | HET | | | F |
| 14-133 | American Standard | H2Option Siphonic Dual Flush RF | 2889.216: 3708.216 bowl, 4339.216 tank | 1,000 | WS | 2 | R | | * | | | HET | | | F |
| 15-126 | American Standard | H2Option Siphonic Dual Flush RF (lined tank) | 2889.516: 3708.216 bowl, 4339.516 tank (lined) | 1,000 | WS | 2 | R | | * | | | HET | | | F |
| 13-089 | American Standard | Mainstream FloWise RF | 3468.128: sold as a COMPLETE package, which includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3061.428 bowl, 4061.428 tank | 800 | WS | 2 | R | | | | | | HET | | F |
| 15-128 | American Standard | Town Square EL ADA (one-piece) | 2847.128 (one-piece) | 1,000 | WS | 1 | E | * | | | | | HET | | F |
| 15-030 | American Standard | Tropic EL ADA (one-piece) | 2786.128 (one-piece) | 1,000 | WS | 1 | E | * | | | | | HET | | F |
| WS-14 | American Standard | Yorkville EL | 2876.100: 3701.100 bowl, 4142.100 tank | NM | WS | 2 | E | | | | | | HET | R | F |
| WS-14 | American Standard | Yorkville EL ADA | 2878.100: 3703.100 bowl, 4142.100 tank | NM | WS | 2 | E | * | | | | | HET | R | F |
| 10-055 | Aquadis | Tytane EL | TY350 (one piece) | 350 | | 1 | E | | * | | | HET | | | F |
| 14-030 | Aquasenses - Chongqing Swell Holding | Aquasenses RF | ES22114: ES2214 bowl, ES3214 tank | 350 | WS | 2 | R | | | | | HET | | | F |
| 14-076 | AquaSource (Lowe's) | HET EL ADA | SKU#0005905 (Foremost #TL-7600HC-HET-LO) | 400 | WS | 2 | E | * | | | | | HET | | F |
| 14-115 | AquaSource (Lowe's) | HET EL ADA | SKU#0061042 (Foremost #AIO 7800HET-LO) | 700 | | 2 | E | * | | | | | HET | | F |
| WS-12 | Axent-Regatta Water Co. | None EL ADA | AT1203-xx | NM | WS | 2 | E | * | | | | | HET | | F |
| WS-15 | Axent-Regatta Water Co. | None RF | AT1201-xx | NM | WS | 2 | R | | | | | | HET | | F |
| 11-087 | Bolina | Italiana EL | 3031: 3031 bowl, 3031 tank | 400 | | 2 | E | | * | | | HET | | | F |
| WS-12 | Briggs | None EL | 4208: 4375 bowl, 4484 tank | NM | WS | 2 | E | | * | | | HET | | | F |
| WS-12 | Briggs | None RF | 4207: 4370 bowl, 4484 tank | NM | WS | 2 | R | | * | | | HET | | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) |
|--|--------------|---|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | |
| 8-536 | Caroma | Adelaide 270 CC Cube RF | 834000 bowl, 814790 tank | 700 | WS | 2 | R | | * | | HET | | | F |
| 8-537 | Caroma | Adelaide 270 CC Standard RF | 834000 bowl, 814328 tank | 700 | WS | 2 | R | | * | | HET | | | F |
| 12-006 | Caroma | Adelaide 270 EH Cube RF ADA | 825500 bowl, 814790 tank | 700 | WS | 2 | R | * | * | | HET | | | F |
| 12-005 | Caroma | Adelaide 270 EH Standard RF ADA | 825500 bowl, 814328 tank | 700 | WS | 2 | R | * | * | | HET | | | F |
| 10-113 | Caroma | Bondi 270 CC RF | 609159 bowl, 726350 tank | 600 | WS | 2 | R | | * | | HET | | | F |
| 11-050 | Caroma | Bondi 270 EL | 609100 bowl, 726350 tank | 550 | WS | 2 | E | | * | | HET | | | F |
| 10-112 | Caroma | Bondi 270 EL ADA | 609120 bowl, 726350 tank | 900 | WS | 2 | E | * | * | | HET | | | F |
| 11-049 | Caroma | Bondi 270 RF ADA | 609177 bowl, 726350 tank | 550 | WS | 2 | E | * | * | | HET | | | F |
| 10-110 | Caroma | Bondi 305 CC RF | 609151 bowl, 726350 tank | 450 | WS | 2 | R | | * | | HET | | | F |
| 13-069 | Caroma | Bondi 305 EL | 609130 bowl, 726350 tank | 700 | WS | 2 | E | | * | | HET | | | F |
| 12-002 | Caroma | Brisbane 270 RF | 833900 bowl, 810266 tank | 700 | WS | 2 | R | | * | | HET | | | F |
| 9-032 | Caroma | Caravelle 270 EL | 609100 bowl, 629435 tank | 500 | WS | 2 | E | | * | | HET | | | F |
| 7-525 | Caroma | Caravelle 270 EL ADA | 609120 bowl, 629435 tank | 800 | WS | 2 | E | * | * | | HET | | | F |
| | Caroma | Caravelle 270 RF | 989760: 609159 bowl, 629435 tank | NM | WS | 2 | R | | * | | HET | | | F |
| | Caroma | Caravelle 270 RF ADA | 989770: 609177 bowl, 629435 tank | NM | WS | 2 | R | * | * | | HET | | | F |
| 7-526 | Caroma | Caravelle 305 EL | 609130 bowl, 629435 tank | 500 | WS | 2 | E | | * | | HET | | | F |
| | Caroma | Caravelle 305 RF | 989680: 609151 bowl, 629435 tank | NM | WS | 2 | R | | * | | HET | | | F |
| 14-025 | Caroma | Caravelle One-Piece RF | 989646 | 700 | WS | 1 | R | | * | | HET | | | F |
| 8-538 | Caroma | Caravelle One-Piece RF ADA | 989668 | 800 | WS | 1 | R | * | * | | HET | | | F |
| 7-513 | Caroma | Colonial 270 RF | 605310 bowl, 625070 tank | 600 | WS | 2 | R | | * | | HET | | | F |
| 12-004 | Caroma | Colonial 270 RF ADA | 605320 bowl, 625070 tank | 700 | WS | 2 | R | * | * | | HET | | | F |
| 14-035 | Caroma | Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush) | 609151A bowl, 840420 tank | 800 | WS | 2 | R | | 1.2g 4.5L | | HET | | | F |
| 7-527 | Caroma | Reflections 270 EL | 609100 bowl, 629530 tank | 500 | | 2 | E | | * | | HET | | | F |
| 7-524 | Caroma | Reflections 305 RF | 609151 bowl, 629530 tank | 600 | | 2 | R | | * | | HET | | | F |
| 11-052 | Caroma | Royale 270 EL | 609100 bowl, 624530 tank | 800 | WS | 2 | E | | * | | HET | | | F |
| 7-514 | Caroma | Royale 270 EL ADA | 609120 bowl, 624530 tank | 800 | WS | 2 | E | * | * | | HET | | | F |
| 7-528 | Caroma | Royale 270 RF | 609159 bowl, 624530 tank | 600 | WS | 2 | R | | * | | HET | | | F |
| 11-051 | Caroma | Royale 270 RF ADA | 609177 bowl, 624530 tank | 900 | WS | 2 | E | * | * | | HET | | | F |
| | Caroma | Royale 305 EL | 609130 bowl, 629530 tank | NM | WS | 2 | E | | * | | HET | | | F |
| | Caroma | Royale 305 RF | 609151 bowl, 624530 tank | NM | WS | 2 | R | | * | | HET | | | F |
| 11-055 | Caroma | Sydney 270 EL | 609100 bowl, 622320 tank | 500 | WS | 2 | E | | * | | HET | | | F |
| 8-533 | Caroma | Sydney 270 EL ADA | 609120 bowl, 622320 tank | 1,000 | WS | 2 | E | * | * | | HET | | | F |
| 11-053 | Caroma | Sydney 270 RF | 609159 bowl, 622320 tank | 600 | WS | 2 | E | | * | | HET | | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) |
|--|------------------------------------|--|--|--|--|--------------------------|----------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | 500 grams and more | | | | | | | | | | | | |
| Type/technology of toilet fixture | | Model Name | Model Number | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | |
| 11-054 | Caroma | Sydney 270 RF ADA | 609177 bowl, 622320 tank | 600 | WS | 2 | E | * | * | | HET | | | F |
| 10-115 | Caroma | Sydney 305 EL | 609130 bowl, 622320 tank | 500 | WS | 2 | E | | * | | HET | | | F |
| 10-114 | Caroma | Sydney 305 RF | 609151A bowl, 622320 tank | 1,000 | WS | 2 | R | | * | | HET | | | F |
| 12-093 | Caroma | Sydney Low Profile 270 EH EL ADA | 609120 bowl, 622330 tank | 550 | WS | 2 | E | * | * | | HET | | | F |
| 13-125 | Caroma | Sydney Low Profile 270 EL | 609100 bowl, 622330 tank | 550 | WS | 2 | E | | * | | HET | | | F |
| 13-123 | Caroma | Sydney Low Profile 270 RF | 609159 bowl, 622330 tank | 550 | WS | 2 | R | | * | | HET | | | F |
| 13-122 | Caroma | Sydney Low Profile 270 RF ADA | 609177 bowl, 622330 tank | 650 | WS | 2 | R | * | * | | HET | | | F |
| 13-124 | Caroma | Sydney Low Profile 305 EL | 609130 bowl, 622330 tank | 550 | WS | 2 | E | | * | | HET | | | F |
| 12-068 | Caroma | Sydney Low Profile 305 RF | 609151A bowl, 622330 tank | 500 | WS | 2 | R | | * | | HET | | | F |
| 14-037 | Caroma | Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush) | 609100 bowl, 622322 tank | 800 | WS | 2 | E | | 1.2g 4.5L | | HET | | | F |
| 13-121 | Caroma | Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush) | 609120 bowl, 622322 tank | 800 | WS | 2 | E | * | 1.2g 4.5L | | HET | | | F |
| 14-039 | Caroma | Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush) | 609159 bowl, 622322 tank | 800 | WS | 2 | R | | 1.2g 4.5L | | HET | | | F |
| 14-038 | Caroma | Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush) | 609177 bowl, 622322 tank | 800 | WS | 2 | R | * | 1.2g 4.5L | | HET | | | F |
| 14-036 | Caroma | Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush) | 609130 bowl, 622322 tank | 900 | WS | 2 | E | | 1.2g 4.5L | | HET | | | F |
| 11-116 & 12-003 | Caroma | Sydney Smart 305 RF (NOTE: 1.28-gpf full flush 0.8-gpf reduced flush) | 609151A bowl, 622322 tank | 650 | WS | 2 | R | | 1.2g 4.5L | | HET | | | F |
| 14-026 | Caroma | Sydney Smart Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush) | 609450 bowl, 622322 tank | 900 | WS | 2 | | | 1.2g 4.5L | | HET | | R | F |
| 10-116 | Caroma | Walvit EL (ADA optional) | 604119 bowl, 227001 tank (concealed in-wall) | 500 | | 2 | E | * | * | | HET | | R | W |
| 14-049 | Cascadian | Regal/Toscana EL ADA | C930 bowl, T901 tank | 1,000 | WS | 2 | E | * | | | | HET | | F |
| WS-13 | Ceramica Industrial De Taubate Ltd | Nina EL | 111: bowl model unknown, 815 tank | NM | WS | 2 | E | | | | | HET | | F |
| WS-13 | Ceramica Industrial De Taubate Ltd | Twister EL | 151: 151 bowl, 855 tank | NM | WS | 2 | E | | | | | HET | | F |
| WS-13 | Ceramica Industrial De Taubate Ltd | Twister RF | 150: 150 bowl, 855 tank | NM | WS | 2 | R | | | | | HET | | F |
| WS-14 | Cerapure Industries | None EL | CT-3008 | NM | WS | 2 | E | | | | | HET | | F |
| WS-14 | Cerapure Industries | None EL ADA | CT-6008D | NM | WS | 2 | E | * | | | HET | | | F |
| WS-12 | Cerapure Industries | None EL ADA (one-piece) | C-3432D | NM | WS | 1 | E | * | * | | HET | | | F |
| WS-14 | Cerapure Industries | None RF | CT-3007 | NM | WS | 2 | R | | | | | HET | | F |
| 15-054 | Cerapure Industries | None RF ADA (one-piece) | 102B | 600 | | 1 | R | * | | | | HET | | F |
| 14-046 | Chelini | Bournelli RF (lined tank) | B1415R bowl, T14248 tank (lined tank) | 500 | WS | 2 | R | | | | | HET | | F |
| 14-020 | Chelini | Cabot EL ADA (lined tank) | B1516E bowl, T10348 tank (lined tank) | 1,000 | WS | 2 | E | * | | | | HET | | F |
| 14-079 | Chelini | Cabot RF ADA (lined tank) | B1516R bowl, T10348 tank (lined tank) | 800 | WS | 2 | R | * | | | | HET | | F |
| 14-080 | Chelini | Marriot EL (lined tank) | B1215E bowl, TDF1246 tank (lined tank) | 400 | WS | 2 | E | | * | | HET | | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|--------------|-----------------------------------|--|--|--|--------------------------|----------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| 14-047 | Chelini | Marriot EL ADA (lined tank) | B1216E bowl, TDF1246 tank (lined tank) | 800 | WS | 2 | E | * | * | | | HET | | | F |
| 13-066 | Chelini | Marriot RF (lined tank) | B1215R bowl, TDF1246 tank (lined) | 600 | WS | 2 | R | | * | | | HET | | | F |
| 14-065 | Contrac | Cain EL (lined tank) | 5720BEV: B5720BEV bowl, T5720BEV tank (lined) | 800 | WS | 2 | E | | | | | | | HET | F |
| 14-066 | Contrac | Calum RF (lined tank) | 5720BFV: B5720BFV bowl, T5720BFV tank (lined) | 800 | WS | 2 | R | | | | | | | HET | F |
| 13-126 | Contrac | Captiva EL ADA | 4710BIV | 800 | WS | 1 | E | * | | | | | | HET | F |
| 13-127 | Contrac | Carter EL ADA | 4720BIV: bowl and tank nos. not provided | 550 | WS | 2 | E | * | | | | | | HET | F |
| 14-069 | Contrac | Clara (1 piece - lined tank) | 5710BLT (one-piece - lined tank) | 1,000 | WS | 1 | S | | * | | | HET | | | F |
| 14-070 | Contrac | Clint EL (1 piece - lined tank) | 5710BEZ (one-piece - lined tank) | 1,000 | WS | 1 | E | | * | | | HET | | | F |
| 14-061 | Contrac | Colin EL (lined tank) | 5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined) | 700 | WS | 2 | E | | * | | | HET | | | F |
| 14-068 | Contrac | Colten EL ADA (lined tank) | 5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined) | 800 | WS | 2 | E | * | * | | | HET | | | F |
| 15-108 | Contrac | None EL ADA | 5720BOY: B5720BOY bowl, T5720BOY tank | 800 | | 2 | E | * | | | | | HET | | F |
| 14-071 | Contrac | None EL ADA (lined tank) | 5720BOV: B5720BOV bowl, T5720BOV tank (lined) | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 11-084 | Contrac | None RF | 4710BFZ (one piece with insulated tank) | 500 | | 1 | R | | * | | | HET | | | F |
| 11-085 | Contrac | None RF | 4710BFZU (one piece) | 600 | | 1 | R | | * | | | HET | | | F |
| 11-080 | Contrac | None RF | 4720BFZ combination (lined tank) | 600 | | 2 | R | | * | | | HET | | | F |
| 11-081 | Contrac | None RF | 4720BFZU combination | 550 | | 2 | R | | * | | | HET | | | F |
| 14-060 | Contrac | None RF (lined tank) | 5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined) | 600 | WS | 2 | R | | * | | | HET | | | F |
| WS-11 | Crane | Eco Galaxy/Cranada EL | 31008: 3372 bowl, 31590 tank | 500 | WS | 2 | E | | * | | | HET | | | F |
| 13-014 | Crane | Eco Galaxy/Cranada EL ADA | 31009: 3815 bowl, 31590 tank | 800 | WS | 2 | E | * | * | | | HET | | | F |
| 13-013 | Crane | Eco Galaxy/Cranada EL ADA | 31069: 3815 bowl, 31593 tank (insulated) | 800 | WS | 2 | E | * | * | | | HET | | | F |
| WS-11 | Crane | Eco Galaxy/Cranada RF | 31007: 3352 bowl, 31590 tank | 500 | WS | 2 | R | | * | | | HET | | | F |
| WS-11 | Crane | Eco Galaxy/Cranada RF | 31067: 3352 bowl, 31593 tank (insulated) | 600 | WS | 2 | R | | * | | | HET | | | F |
| 12-108D | Crane | Eco Opus III EL | 2383328: 3014.328 bowl, 4021.328 tank | 1,000 | WS | 2 | E | | | | | | | HET | F |
| 14-052D | Crane | Eco Opus III EL (lined tank) | 2383358: 3014.328 bowl, 4021.358 tank(lined) | 1,000 | WS | 2 | E | | | | | | | HET | F |
| 12-107 & 12-114D | Crane | Eco Opus III EL ADA | 2386328: 3016.328 bowl, 4021.328 tank; | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 14-054D | Crane | Eco Opus III EL ADA (lined tank) | 2386358: 3016.328 bowl, 4021.358 tank (lined) | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 12-101D | Crane | Eco Opus III RF | 2384328: 3011.328 bowl, 4021.328 tank | 800 | WS | 2 | R | | | | | | | HET | F |
| 11-004 | Crane | Eco Opus III RF | 31692: 31562 bowl, 31542 tank | 600 | WS | 2 | R | | | | | | | HET | F |
| WS-11 | Crane | Eco Opus III RF | 31693: 31562 bowl, 31543 tank (insulated) | NM | WS | 2 | R | | | | | | | HET | F |
| 14-053D | Crane | Eco Opus III RF (lined tank) | 2384358: 3011.328 bowl, 4021.358 tank(lined) | 1,000 | WS | 2 | R | | | | | | | HET | F |
| WS | Crane | Eco Saratoga Dual RF | 31970: 3352 bowl, 31960 tank | NM | WS | 2 | R | | | | | HET | | | F |
| WS-11 | Crane | Eco Saratoga EL | 31973: 3372 bowl, 31964 tank | 500 | WS | 2 | E | | * | | | HET | | | F |
| WS | Crane | Eco Saratoga EL | 31980: 3372 bowl, 31960 tank | NM | WS | 2 | E | | | | | HET | | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|-----------------------------|---|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| WS | Crane | Eco Saratoga EL | 31986: 3372 bowl, 31966 tank (insulated) | NM | WS | 2 | E | | | | | HET | | | F |
| 13-016 | Crane | Eco Saratoga EL ADA | 31983: 3815 bowl, 31964 tank | 600 | WS | 2 | E | * | * | | | HET | | | F |
| 13-015 | Crane | Eco Saratoga EL ADA | 31996: 3815 bowl, 31966 tank (insulated) | 600 | WS | 2 | E | * | * | | | HET | | | F |
| WS-11 | Crane | Eco Saratoga RF | 31972: 3352 bowl, 31964 tank | 600 | WS | 2 | R | | * | | | HET | | | F |
| WS | Crane | Eco Saratoga RF | 31976: 3352 bowl, 31966 tank (insulated) | NM | WS | 2 | R | | | | | HET | | | F |
| 11-028 | Crane | Ecomiser Bigfoot EL | 38345: 31125 bowl, 31500 tank | 1,000 | WS | 2 | E | | | * | | HET | | | F |
| WS-11 | Crane | Ecomiser Bigfoot EL ADA | 38355: 31128 bowl, 31500 tank | 1,000 | WS | 2 | E | * | | * | | HET | | | F |
| WS | Crane | Ecomiser Dual EL | 38370: 3827 bowl, 31500 tank | NM | WS | 2 | E | | | * | | HET | | R | F |
| WS | Crane | Ecomiser Dual EL ADA | 38400: 3830 bowl, 31500 tank | NM | WS | 2 | E | * | | * | | HET | | R | F |
| 11-038 | Crane | EcoMiser EL | 38340: 3824 bowl, 31500 tank | 1,000 | | 2 | E | | | | | HET | | | F |
| 11-039 | Crane | EcoMiser EL | 38350: 3825 bowl, 31500 tank | 1,000 | | 2 | E | | | | | HET | | | F |
| 11-040 | Crane | EcoMiser EL ADA | 38380: 3828 bowl, 31500 tank | 1,000 | | 2 | E | * | | | | HET | | | F |
| 11-030 | Crane | Ecomiser One Bigfoot RF | 38335: 31124 bowl, 31500 tank | 1,000 | WS | 2 | R | | | * | | HET | | | F |
| 14-119 | Crane | Economiser EL | 3837: 3827 bowl, 3612NS tank | 600 | | 2 | E | | | | | HET | | R | F |
| 11-025 | Crane | Economiser One Bigfoot EL | 31885: 31125 bowl, 31612 tank | 1,000 | WS | 2 | E | | | | | HET | | | F |
| WS-11 | Crane | Economiser One Bigfoot EL ADA | 31888: 31128 bowl, 31612 tank | 1,000 | WS | 2 | E | * | | | | HET | | | F |
| 11-026 | Crane | Economiser One Bigfoot RF | 31884: 31124 bowl, 31612 tank | 1,000 | WS | 2 | R | | | | | HET | | | F |
| 10-035 | Crane | Economiser One EL | 31945: 3825 bowl, 31612 tank | 1,000 | | 2 | E | | | | | HET | | | F |
| 10-034 | Crane | Economiser One EL ADA | 31948: 3828 bowl, 31612 tank | 1,000 | | 2 | E | * | | | | HET | | | F |
| 10-037 | Crane | Economiser One RF | 31944: 3824 bowl, 31612 tank | 1,000 | | 2 | R | | | | | HET | | | F |
| 14-120 | Crane | Economiser RF | 3836: 3826 bowl, 3612NS tank | 600 | | 2 | R | | | | | HET | | R | F |
| 14-093 | Danze | Cirtangular EL ADA | DC023330 bowl, DC022321 tank | 800 | WS | 2 | E | * | | | | | HET | | F |
| 15-145 | Danze | Orrington EL ADA (12" rough-in - one-piece) | DC011323 (one-piece) | 800 | | 1 | E | * | | | | | HET | | F |
| 15-146 | Danze | Orrington EL ADA (12" rough-in) | DC013330 bowl, DC012323 tank | 800 | WS | 2 | E | * | | | | | HET | | F |
| 15-147 | Danze | Ziga Zaga EL ADA (12" rough-in - one-piece) | DC031321 (one-piece) | 800 | | 1 | E | * | | | | | HET | | F |
| 14-021 | DKDC | Total Flush EL ADA | TF1000: B1000 bowl, T1000 tank | 1,000 | | 2 | E | * | | | | | HET | | F |
| WS-15 | Dolphin Plumbing Industrial | None | L1315E346 | NM | WS | 1 | E | | | | | HET | | | |
| WS-15 | Dolphin Plumbing Industrial | None | Z15E15 bowl, S17246 tank | NM | WS | 2 | E | | | | | HET | | | |
| WS-15 | Dolphin Plumbing Industrial | None | Z15E15 bowl, S17248 tank | NM | WS | 2 | E | | | | | | HET | | |
| WS-15 | Dolphin Plumbing Industrial | None | Z15E16 bowl, S17246 tank | NM | WS | 2 | E | | | | | HET | | | |
| WS-15 | Dolphin Plumbing Industrial | None | Z15R15 bowl, S17246 tank | NM | WS | 2 | R | | | | | HET | | | |
| WS-15 | Dolphin Plumbing Industrial | None | Z15R15 bowl, S17248 tank | NM | WS | 2 | R | | | | | | HET | | |
| WS-15 | Dolphin Plumbing Industrial | None | Z15R16 bowl, S17248 tank | NM | WS | 2 | R | | | | | | HET | | |
| 12-030 | Duravit | 2nd Floor (ADA optional) | 220509 bowl, 111.335 in-wall tank (Geberit) | 350 | WS | 2 | S | * | * | | | HET | | R | W |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | | |
|--|--------------|---------------------------------------|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | | |
| 12-032 | Duravit | Caro (ADA optional) | 015609 bowl, 111.335 in-wall tank (Geberit) | 350 | WS | 2 | S | * | * | | | HET | | | R | W |
| 8-544 | Duravit | Darling | 020709 bowl, 111.335 in-wall tank (Geberit) | 350 | WS | 2 | R | * | * | | | HET | | | R | W |
| WS-13 | Duravit | D-Code | 011701 bowl, 092720 tank | NM | WS | 2 | | | | | | | | HET | | F |
| 13-070 | Duravit | D-Code | 220909 bowl, used with in-wall tank | 500 | WS | 2 | S | * | * | | | HET | | | R | W |
| WS-15 | Duravit | D-Code (one-piece) | 011301 (one-piece) | NM | WS | 1 | | | | | | | | HET | | F |
| 12-031 | Duravit | Foster (ADA optional) | 017509 bowl, 111.335 in-wall tank (Geberit) | 350 | WS | 2 | S | * | * | | | HET | | | R | W |
| WS-13 | Duravit | Happy D | 017009 bowl, 091010 tank | NM | WS | 2 | | | * | | | HET | | | | F |
| WS-15 | Duravit | Happy D EL | 011201 bowl, 092910 tank | NM | WS | 2 | E | | | | | | | HET | | F |
| 6-605 | Duravit | Happy D RF | 017009 bowl, 091000-05 tank | 600 | | 2 | R | * | * | | | HET | | | R | W |
| 6-604 | Duravit | Happy D Wallmount RF | 017109 bowl, 111.335 in-wall tank (Geberit) | 600 | WS | 2 | R | * | * | | | HET | | | R | W |
| 12-033 | Duravit | Starck 2 (ADA optional) | 016009 bowl, 111.335 in-wall tank (Geberit) | 350 | WS | 2 | S | * | * | | | HET | | | R | W |
| 6-602 | Duravit | Starck 2 EL (one piece) | 016301 (one-piece) | 350 | WS | 1 | E | * | * | | | | | | R | W |
| WS-13 | Duravit | Starck 3 | 012809 bowl, 092010 tank | NM | WS | 2 | | | * | | | HET | | | | F |
| 8-543 | Duravit | Starck 3 RF | 220009 bowl, 111.335 in-wall tank (Geberit) | 350 | WS | 2 | R | * | * | | | HET | | | R | W |
| WS-13 | Duravit | Starck X | 220409 bowl, used with in-wall tank | NM | WS | 2 | S | * | * | | | HET | | | R | W |
| WS-13 | Duravit | Vero | 211609 bowl, 090910 tank | NM | WS | 2 | | | * | | | HET | | | | F |
| WS-13 | Duravit | Vero | 211709 bowl, 109.304 in-wall tank (Geberit) | NM | WS | 2 | S | | * | | | HET | | | | F |
| 12-034 | Duravit | Vero (ADA optional) | 221709 bowl, 111.335 in-wall tank (Geberit) | 350 | WS | 2 | S | * | * | | | HET | | | R | W |
| WS-15 | Duravit | Vero EL | 210301 (one-piece) | NM | WS | 1 | E | | | | | | | HET | | F |
| 13-089D | Eljer | Belmont RF COMPLETE | 091-0800: 3061.428 bowl, 4061.428 tank | 800 | | 2 | R | | | | | | | HET | | F |
| 9-009 | Eljer | Power 1-G EL | 091-7625: 131-7625 bowl; 141-7600 tank | 800 | | 2 | E | | | | | | HET | | | F |
| 9-010 | Eljer | Power 1-G EL ADA | 091-7675: 131-7675 bowl; 141-7600 tank | 800 | | 2 | E | * | | | | | HET | | | F |
| 14-133D | Eljer | Somerville Dual Flush RF (siphonic) | 091-6100: 3708.416 bowl, 4339.416 tank | 1,000 | WS | 2 | R | | * | | | HET | | | | F |
| 12-016 | Foremost | AIO (All-In-One) RF ADA | AIO1000-R: AIOB1000-R bowl, AIOT1000 tank | 1,000 | WS | 2 | R | * | | * | | HET | | | | F |
| 14-115 | Foremost | AIO (All-In-One) EL ADA | AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0061042) | 700 | WS | 2 | E | * | | | | | | HET | | F |
| 12-017 | Foremost | AIO (All-In-One) EL ADA | AIO1000-E: AIOB1000-E bowl, AIOT1000 tank | 1,000 | WS | 2 | E | * | | * | | HET | | | | F |
| 14-072 | Foremost | Astoria EL ADA(lined tank) | TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined) | 700 | WS | 2 | E | * | | | | | | HET | | F |
| 13-141 | Foremost | Europa EL (one-piece with lined tank) | TL-8271E-*L (one-piece with lined tank) | 800 | WS | 1 | E | | | | | HET | | | | F |
| 9-044 & 13-147 | Foremost | Gemini Dual-Flush ADA | TL-2100-*L (one-piece) | 1,000 | WS | 1 | S | * | * | | | HET | | | | F |
| 8-539 | Foremost | Gemini Dual-Flush RF (lined tank) | TL-2005-*L: LL-2005 bowl, T-2005-*L tank (lined) | 800 | WS | 2 | R | | * | | | HET | | | | F |
| 13-140 | Foremost | Genie EL (lined tank) | TL-2010E-*L, LL-2010E bowl, T-2010-*L tank (lined) | 700 | | 2 | E | | | | | HET | | | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) |
|--|----------|-------------------------------------|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | Model Name | | Model Number | | | | | | |
| 13-135 | Foremost | HET EL (one-piece) | TL-6100-E*N (one-piece) | 500 | WS | 1 | E | | | | | HET | F | |
| 14-064 | Foremost | HET EL ADA | TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank) | 600 | WS | 2 | E | * | | | | HET | F | |
| 11-086 & 13-149 | Foremost | HET EL ADA | TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank | 1,000 | WS | 2 | E | * | | | | HET | F | |
| 14-077 | Foremost | HET EL ADA | TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank | 600 | WS | 2 | E | * | | | | HET | F | |
| 14-075 | Foremost | HET EL ADA | TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim) | 900 | WS | 2 | E | * | | | | HET | F | |
| 14-076 | Foremost | HET EL ADA | TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank (Combination also sold as AquaSource Lowe's SKU#0005905) | 400 | WS | 2 | E | * | | | | HET | F | |
| 13-130 | Foremost | HET EL ADA (lined tank) | TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim) | 900 | WS | 2 | E | * | | | | HET | F | |
| 14-073 | Foremost | HET EL ADA (one-piece) | HB-800-ADA (one-piece) | 1,000 | WS | 1 | E | * | * | | | HET | F | |
| 13-138 & 14-108 | Foremost | HET EL ADA (one-piece) | TL-10PA-HET-E (one-piece) | 600 | WS | 1 | E | * | | | | HET | F | |
| 13-137 & 14-109 | Foremost | HET EL ADA (one-piece) | TL-10PB-HET-E (one-piece) | 600 | WS | 1 | E | * | | | | HET | F | |
| 13-131 | Foremost | HET RF ADA | TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET tank (unlined tank) (Fluidmaster tank trim) | 1,000 | WS | 2 | R | * | | | | HET | F | |
| 13-132 | Foremost | HET RF ADA (lined tank) | TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim) | 900 | WS | 2 | R | * | | | | HET | F | |
| 14-081 | Foremost | HET RF ADA (lined tank) | TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank) | 550 | WS | 2 | R | * | | | | HET | F | |
| 14-082 | Foremost | HET RF ADA (lined tank) | TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank) | 600 | WS | 2 | R | * | | | | HET | F | |
| 8-530 | Foremost | Moline EL | TL-8267-*L: LL-8267 bowl, T-8267 tank (lined) | 700 | WS | 2 | S | | * | | | HET | F | |
| WS-15 | Foremost | None EL (lined tank) | TL-8295-*L: LL-8295 bowl, T-8295 tank (lined) | NM | WS | 2 | E | | | | | HET | F | |
| 14-118 | Foremost | None EL ADA | AIO 400E*HET: AIO B400E bowl, AIO T400 tank | 400 | WS | 2 | E | * | | | | HET | F | |
| 15-117 | Foremost | None EL ADA | AO1-054777E: LL777E bowl, T1-054 tank | 800 | | 2 | E | * | | | | HET | F | |
| 15-020 | Foremost | None EL ADA | AO1-803807-E: LL-807-E bowl, T1-803 tank | 650 | | 2 | E | * | | | | HET | F | |
| 15-114 | Foremost | None EL ADA | AO2-058777E: LL-777E bowl, T2-058 tank | 800 | | 2 | E | * | * | | | HET | F | |
| 15-116 | Foremost | None EL ADA | AO2-158777E: LL-777E bowl, T2-158 tank | 850 | | 2 | E | * | * | | | HET | F | |
| 15-103 | Foremost | None EL ADA | AO4-035177E: LL-177E bowl, T4-035 tank | 800 | | 2 | E | * | | | | HET | F | |
| 15-104 | Foremost | None EL ADA | AO4-045177E: LL-177E bowl, T4-045 tank | 800 | | 2 | E | * | | | | HET | F | |
| 15-100 | Foremost | None EL ADA | AO4-215177E: LL-177E bowl, T4-215 tank | 800 | | 2 | E | * | | | | HET | F | |
| 15-102 | Foremost | None EL ADA | AO4-425177E: LL-177E bowl, T4-425 tank | 800 | | 2 | E | * | | | | HET | F | |
| 15-101 | Foremost | None EL ADA | AO4-825177E: LL-177E bowl, T4-825 tank | 800 | | 2 | E | * | | | | HET | F | |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|--------------|---|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| 13-139 & 14-107 | Foremost | None EL ADA | TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank | 500 | WS | 2 | E | * | | | | | HET | | F |
| 14-062 | Foremost | None EL ADA (lined tank) | TL-10PA-HET-E (one-piece- lined tank) | 600 | | 1 | E | * | | | | | HET | | F |
| 14-063 | Foremost | None EL ADA (lined tank) | TL-10PB-HET-E (one-piece- lined tank) | 600 | WS | 1 | E | * | | | | | HET | | F |
| 15-050 | Foremost | None EL ADA (lined tank) | TL-5207HC-*L2: (lined tank) | 700 | | 2 | E | * | | | | | HET | | F |
| 15-115 | Foremost | None RF | AO1-203824R: LL-824R bowl, T1-203 tank | 800 | | 2 | R | | | | | | HET | | F |
| 15-021 | Foremost | None RF | AO2-7851-HET-R: LL-0051-R bowl, T-7800-HET tank | 850 | WS | 2 | R | | | | | | HET | | F |
| 14-113 | Foremost | None RF (lined tank) | TL-5207-*L2: LL-5207-*2 bowl, T-5207-*L2 tank (lined) | 600 | WS | 2 | R | | | | | | HET | | F |
| 14-111 | Foremost | None RF (lined tank) | TL-8207-*L4: LL-8207-*4 bowl, T-8207-*L4 tank (lined) | 800 | WS | 2 | R | | | | | | HET | | F |
| 15-121 | Foremost | None RF ADA | AO1-054777R: LL-777R bowl, T1-054 tank | 800 | | 2 | R | * | | | | | HET | | F |
| 15-019 | Foremost | None RF ADA | AO1-803807-R: LL-807-R bowl, T1-803 tank | 650 | | 2 | R | * | | | | | HET | | F |
| 15-118 | Foremost | None RF ADA | AO2-058777R: LL-777R bowl, T2-058 tank | 800 | | 2 | R | * | * | | | HET | | F | |
| 15-119 | Foremost | None RF ADA | AO2-158777R: LL-777R bowl, T2-158 tank | 900 | | 2 | R | * | * | | | HET | | F | |
| 14-074 | Foremost | Odessa RF (one-piece with lined tank) | TL-8260-*L (one-piece with lined tank) | 800 | WS | 1 | S | | * | | | HET | | F | |
| 11-001 | Foremost | Plaza | TL-7107-*L: LL-7107 bowl, T-7107 tank | 500 | WS | 2 | S | | * | | | HET | | F | |
| 13-142 | Foremost | Regent RF | TL-5210-*L (one piece - lined tank) | 750 | WS | 1 | R | | | | | HET | | F | |
| 11-073 | Foremost | Total - RF | TT-2010-*L: LL-2010 bowl, T-2010 tank (lined) | 600 | WS | 2 | R | | * | | | HET | | F | |
| 13-130 | Foremost | Total Smart HET EL ADA | TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This the All-In-One version of the TL-7600HC-HET-*L fixture shown above) | 900 | WS | 2 | E | * | | | | | HET | | F |
| 13-133 | Foremost | Home Depot - Pegasus EL ADA | TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036) | 800 | WS | 2 | E | * | | | | | HET | | F |
| WS-15 | Foremost | None EL | AO1-803807-E: LL-807-E bowl, T1-803 tank | NM | WS | 2 | E | | | | | | HET | | |
| 15-109 | Foremost | None EL ADA | AO4-045167E: LL-167E bowl, T4-045 tank | 800 | | 2 | E | * | | | | | HET | | F |
| WS-15 | Foremost | None RF | AO1-803807-R: LL-807-R bowl, T1-803 tank | NM | WS | 2 | R | | | | | | HET | | F |
| 15-110 | Foremost | None RF (lined tank) | TL-1207-*L2: LL-1207-*2 bowl, T-1207-*L2 tank (lined tank) | 700 | | 2 | R | | | | | | HET | | F |
| 14-117 | Foremost | None RF ADA | AIO 400R*-HET: AIO B400R bowl, AIO T400 tank | 500 | WS | 2 | R | * | | | | | HET | | F |
| 13-134 | Foremost | Total Advantage EL (one-piece with lined tank) | TT-2000E-*L (one piece with lined tank) | 1,000 | WS | 1 | E | | | | | HET | | F | |
| 14-089 | Gerber | Avalanche 1.28 EL ADA | HE-21-818: HE-21-828 bowl, HE-28-890 tank | 800 | WS | 2 | E | * | | | | | HET | | F |
| 15-144 | Gerber | Avalanche 1.28 EL ADA (10-inch rough-in) | HE-21-817: HE-21-828 bowl, HE-28-895 tank | 800 | | 2 | E | * | | | | | HET | | F |
| 15-141 | Gerber | Avalanche 1.28 RF (10-inch rough-in) | HE-21-800: HE-21-852 bowl, HE-28-895 tank | 800 | | 2 | R | | | | | | HET | | F |
| 15-143 | Gerber | Avalanche 1.28 RF (12-inch rough-in - lined tank) | HE-21-802: HE-21-852 bowl, HE-28-892 tank (lined) | 800 | | 2 | R | | | | | | HET | | F |
| 15-142 | Gerber | Avalanche 1.28 RF (12-inch rough-in) | HE-21-802: HE-21-852 bowl, HE-28-890 tank | 800 | | 2 | R | | | | | | HET | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) |
|--|------------------------------------|---|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | |
| 15-151 | Gerber | Maxwell Dual-Flush EL (12" r.i.-insulated tank) | DF-21-112: 21-162 bowl, DF-28-192 tank (insulated) | 600 | | 2 | E | | * | | HET | | | F |
| 15-150 | Gerber | Maxwell Dual-Flush EL (12" rough-in) | DF-21-112: 21-162 bowl, DF-28-190 tank | 500 | | 2 | E | | * | | HET | | | F |
| 14-099 | Gerber | Maxwell Dual-Flush EL ADA | DF-21-118: 21-128 bowl, DF-28-190 tank | 500 | WS | 2 | E | * | * | | HET | | | F |
| 15-152 | Gerber | Maxwell Dual-Flush EL ADA (12' rough-in - insulated tank) | DF-21-118: 21-128 bowl, DF-28-192 tank (insulated) | 600 | | 2 | E | * | * | | HET | | | F |
| 15-148 | Gerber | Maxwell Dual-Flush RF (12" rough-in - insulated tank) | DF-21-102: 21-152 bowl, DF-28-192 tank (insulated) | 600 | | 2 | R | | * | | HET | | | F |
| 15-149 | Gerber | Maxwell Dual-Flush RF (12" rough-in) | DF-21-102: 21-152 bowl, DF-28-190 tank | 600 | | 2 | R | | * | | HET | | | F |
| 14-103 | Gerber | Ultra Dual Flush EL | DF-21-310: 21-374 bowl, DF-28-380 tank | 1,000 | WS | 2 | E | | * | | HET | | R | F |
| 15-RN | Gerber | Ultra Dual Flush EL | DF-21-312: 21-372 bowl, DF-28-380 tank | 1,000 | WS | 2 | E | | * | | HET | | | F |
| 15-RN | Gerber | Ultra Dual Flush EL | DF-21-314: 21-372 bowl, DF-28-384 tank | 1,000 | WS | 2 | E | | * | | HET | | | F |
| 15-RN | Gerber | Ultra Dual Flush EL ADA | DF 21-318: 21-377 bowl, DF-28-380 tank | 1,000 | WS | 2 | E | * | * | | HET | | | F |
| 15-RN | Gerber | Ultra Dual Flush EL ADA | DF-21-324: 21-377 bowl, DF-28-384 tank | 1,000 | WS | 2 | E | * | * | | HET | | | F |
| 15-RN | Gerber | Ultra Dual Flush EL ADA (rear discharge) | DF-21-325: 21-375 bowl, DF-28-380 tank | 1,000 | WS | 2 | E | * | * | | HET | | R | F |
| 15-158RN | Gerber | Ultra Dual Flush EL ADA (w/bedpan lugs) | DF 21-319: 21-329 bowl, DF-28-380 tank | 1,000 | | 2 | E | * | * | | HET | | | F |
| 6-616 | Gerber | Ultra Dual Flush RF | DF-21-302: 21-342 bowl, DF-28-380 tank | 1,000 | WS | 2 | R | | * | | HET | | | F |
| 6-620 | Gerber | Ultra Dual Flush RF | DF-21-304: 21-342 bowl, DF-28-384 tank | 1,000 | WS | 2 | R | | * | | HET | | | F |
| 14-104 | Gerber | Ultra Flush EL | EF-21-310: 21-374 bowl, EF-28-380 tank | 800 | WS | 2 | E | | | | | | R | F |
| 15-RN | Gerber | Ultra Flush EL ADA | EF 21-318: 21-377 bowl, EF-28-380 tank | 800 | WS | 2 | E | * | | | | HET | | F |
| 15-RN | Gerber | Ultra Flush EL ADA | EF-21-312: 21-372 bowl, EF-28-380 tank | 800 | WS | 2 | E | * | | | | HET | | F |
| 15-RN | Gerber | Ultra Flush EL ADA | EF-21-314: 21-372 bowl, EF-28-384 tank | 800 | WS | 2 | E | * | | | | HET | | F |
| 15-RN | Gerber | Ultra Flush EL ADA | EF-21-324: 21-372 bowl, EF-28-384 tank | 800 | WS | 2 | E | * | | | | HET | | F |
| 15-RN | Gerber | Ultra Flush EL ADA (rear discharge) | EF-21-325: 21-375 bowl, EF-28-380 tank | 800 | WS | 2 | E | * | | | | HET | | F |
| 15-159RN | Gerber | Ultra Flush EL ADA (w/bedpan lugs) | EF-21-319: 21-329 bowl, EF-28-380 tank | 600 | | 2 | E | * | | | | HET | | F |
| 6-615 | Gerber | Ultra Flush RF | EF-21-302: 21-342 bowl, EF-28-380 tank | 1,000 | WS | 2 | R | | | | | HET | | F |
| 6-619 | Gerber | Ultra Flush RF | EF-21-304: 21-342 bowl, EF-28-384 tank | 1,000 | WS | 2 | R | | | | | HET | | F |
| 15-082 | Globe Union | None EL ADA | C600152/C53122 | 800 | | 2 | E | * | | | | | HET | F |
| WS-13 | Greentide - CE Union International | None | 6810H: X-6810H bowl, T-6810H tank | NM | WS | 2 | R | | | | | HET | | F |
| WS-13 | Greentide - CE Union International | None | 6810H-S: X-6810HS bowl, T-6810HS tank | NM | WS | 2 | R | | | | | | HET | F |
| WS-13 | Greentide - CE Union International | None | 6811H: X-6811H bowl, T-6811H tank | NM | WS | 2 | E | | | | | HET | | F |
| WS-13 | Greentide - CE Union International | None | 6811H-S: X-6811HS bowl, T-6810HS tank | NM | WS | 2 | E | | | | | | HET | F |
| WS-15 | Greentide - CE Union International | None EL (one-piece) | 0907 (one-piece) | NM | WS | 1 | E | | | | | HET | | F |
| WS-15 | Hali Industries | None EL | 2211 | NM | WS | 2 | E | | | | | | HET | F |
| WS-15 | Hali Industries | None EL | 2212 | NM | WS | 2 | E | | | | | HET | | F |
| WS-15 | Hali Industries | None EL (one-piece) | 0907 (one-piece) | NM | WS | 1 | E | | | | | HET | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|--|---|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| WS-15 | Hali Industries | None RF | 2102 | NM | WS | 2 | R | | | | | HET | | | F |
| WS-15 | Hali Industries | None RF (one-piece) | 2101 (one-piece) | NM | WS | 1 | R | | | | | | HET | | F |
| WS-15 | HCG | None | C2002 bowl, S140-3 tank | NM | WS | 2 | | | | | | | | | |
| WS-15 | HCG | None | C6811 bowl, S140-3 tank | NM | WS | 2 | | | | | | | | | |
| WS-15 | HCG | None | C6816 bowl, S140-3 tank | NM | WS | 2 | | | | | | | | | |
| WS-15 | HCG | None | CS1004: C1003-3 bowl, S1004-3 tank | NM | WS | 2 | | | | | | | | | |
| 8-546 | HCG | None - EL | CS9001DF: C9001 bowl, S9002DF tank | 400 | | 2 | E | | * | | | HET | | | F |
| 8-545 | HCG | None - RF | CS9002DF: C9002 bowl, S9002DF tank | 350 | | 2 | R | | * | | | HET | | | F |
| 14-002 | Hennessy & Hinchcliffe | Proficiency - EL ADA | N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number) | 500 | WS | 2 | E | * | 0.8g 3L | | | | HET | | F |
| 14-003 | Hennessy & Hinchcliffe | Proficiency - RF ADA | N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number) | 400 | WS | 2 | R | * | 0.8g 3L | | | | HET | | F |
| 14-043 | Home Depot - Glacier Bay | Glacier Bay Dual Flush EL ADA | N2316: N2316B bowl, N2316T tank (Also sold in Combined All-In-One package by Home Depot SKU 215-583 - UPC Code 732291231619) | 1,000 | WS | 2 | E | * | * | | | HET | | | F |
| WS-14 | Home Depot - Glacier Bay | Pegasus RF | Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank | NM | WS | 2 | R | | | | | | HET | | F |
| 14-076 | Home Depot - Glacier Bay (by Foremost) | Glacier Bay EL ADA | Home Depot SKU 331-725-UPC bar code 721015348887 - Foremost Model TL-7600HC-HET: LL-7600HC-HET bowl, T-7600-HET tank (R&T tank trim) | 400 | WS | 2 | E | * | | | | | HET | | F |
| WS-14 | Home Depot - Glacier Bay (by Foremost) | Glacier Bay RF | HD SKU 535-904 - UPC bar code 721015414346: LL-7600-HETR bowl, T-7600-HET-YL tank | NM | WS | 2 | R | | | | | | HET | | F |
| 14-011 | Home Depot - Glacier Bay (by Niagara) | Glacier Bay Ecologic RF ADA (All-In-One package) | N2225R: N2225RB bowl, N2225T tank (Sold in combined All-In-One package by Home Depot: SKU 779-923 - UPC CODE 732291222549) | 1,000 | WS | 2 | R | * | | | | | HET | | F |
| 12-129 | Home Depot - Glacier Bay (by Niagara) | Glacier Bay EL ADA (All-In-One package) | Home Depot SKU 331-725 UPC Bar Code: 732291222518 | 600 | WS | 2 | E | * | | | | | HET | | F |
| 14-075 | Home Depot - Pegasus (by Foremost) | None EL ADA | TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim) Home Depot SKU 331-725 | 900 | | 2 | E | * | | | | | HET | | F |
| 13-133 | Home Depot - Pegasus (by Foremost) | Pegasus EL ADA | TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036 - UPC code 721015350491) | 800 | WS | 2 | E | * | | | | | HET | | F |
| 13-068 | Home Depot - Pegasus (by Niagara) | Cottage EL ADA (Flapperless - All-In-One package) | N2228: N2228B bowl, N2228T tank. (Also sold in Combined All-In-One package as Home Depot SKU 840-565 - UPC Code 732291222822) | 1,000 | WS | 2 | E | * | | | | | HET | | F |
| 13-067 | Home Depot - Pegasus (by Niagara) | Westminster EL ADA (All-In-One package) | HD SKU 780-036 - Two-piece fixture sold combined as "All In One" - UPC Code 732291344685 | 1,000 | WS | 2 | E | * | | | | | HET | | F |
| 8-540 | Home Depot - Pegasus/Glacier Bay (by Foremost) | Dual-Flush RF | Home Depot SKU 131-926 | 800 | WS | 2 | R | | * | | | HET | | | F |
| WS-15 | Home Depot (by Foremost) | Glacier Bay EL | HD SKU 780-036 | NM | WS | 2 | E | | | | | | HET | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) |
|--|-------------------------|---|---|--|--|--------------------------|----------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | Model Name | | Model Number | | | | | | |
| 11-106 | Home Depot (by Niagara) | Ecologic EL ADA (Flapperless) | N2225E: N2225EB bowl, N2225T tank. (Also sold in All-In-One combination package as Home Depot SKU 331-725 --- Replaced by another product: Glacier Bay All-In-One with UPC Code 732291222518) | 800 | WS | 2 | E | * | | | | HET | | F |
| 12-036 | Home Depot (by Niagara) | Power One EL | Home Depot SKU 385-195 - UPC Bar Code 732291231015 (Also available as Niagara N2310: 2310B bowl, 2310T tank) | 1,000 | WS | 2 | E | | | | | HET | | F |
| 13-037 | Jacuzzi | Espree HET EL ADA | Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624) | 1,000 | WS | 2 | E | * | | | | HET | | F |
| 14-057 | Jacuzzi | Perfecta HET EL ADA | Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU GU04959 (Also sold as Lowe's SKU 312978) | 1,000 | WS | 2 | E | * | | | | HET | | F |
| 15-022 | Jacuzzi | Prescott HET EL ADA | GV80 | 1,000 | WS | 2 | E | * | | | | HET | | F |
| 12-018 | Kohler | Barrington Pressure Lite EL | K-3652: 4327 bowl, 4484 tank | 800 | WS | 2 | E | | | | | HET | | R F |
| WS-15 | Kohler | Barrington Pressure Lite EL ADA | K-3578: 4305 bowl, 4484 tank | NM | WS | 2 | E | * | | | | HET | | F |
| 13-032 | Kohler | Cimarron EL ADA | K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451, K-11813, and K-11844 when included as part of the "COMPLETE SOLUTION" package | 1,000 | WS | 2 | E | * | | | | HET | | F |
| 12-076 | Kohler | Escale EL | K-3588: 4308 bowl, 4472 tank | 500 | WS | 2 | E | | * | | | HET | | F |
| WS-12 | Kohler | Fountainhead Power Lite EL ADA | K-3524 (one piece) | NM | WS | 1 | E | * | | * | | HET | | F |
| 12-074 | Kohler | Kelston EL ADA | K-3755: 4306 bowl, 4469 tank; NOTE: this fixture also sold as K-11453 when included as part of the "COMPLETE SOLUTION" package | 1,000 | WS | 2 | E | * | | | | HET | | F |
| WS-15 | Kohler | None | K-11813: 4309 bowl, 4421 tank | NM | WS | | | | | | | HET | | F |
| WS-15 | Kohler | None | K-11844: 4306 bowl, 4469 tank | NM | WS | | | | | | | HET | | F |
| WS-15 | Kohler | None | K-3755: 4306 bowl, 4469 tank | NM | WS | 2 | E | | | | | HET | | F |
| 13-063 | Kohler | Persuade EL | K-3654: 4322 bowl, 4419 tank | 600 | WS | 2 | E | | * | | | HET | | F |
| WS-15 | Kohler | Reve EL | K-3797 | NM | WS | 1 | E | | | | | HET | | F |
| 12-094 | Kohler | Saile EL | K-3564 (one piece) | 500 | WS | 1 | E | | * | | | HET | | F |
| 7-545 | Kohler | San Raphael Power Lite EL ADA | K-3393 Power-Assisted | 1,000 | WS | 1 | E | * | | *-at 1.4-g | | HET | | F |
| WS-15 | Kohler | San Raphael Power Lite EL ADA (one-piece) | K-3607 (one-piece) NOTE: This is a powered toilet with two flush volume settings. | NM | WS | 1 | E | * | | | | HET | | F |
| 12-024 | Kohler | San Raphael Pressure Lite EL ADA | K-3597 (one-piece) | 600 | WS | 1 | E | * | | | | HET | | F |
| 9-051 | Kohler | Sterling Karsten Dual Force EL | 402028: 402026 bowl, 402023 tank | 400 | WS | 2 | E | | * | | | HET | | F |
| 8-550 | Kohler | Sterling Karsten RF | 402025: 402021 bowl, 402023 tank | 800 | WS | 2 | R | | * | | | HET | | F |
| 6-622 | Kohler | Sterling Rockton EL | 402027: 402026 bowl, 402022 tank | 350 | WS | 2 | E | | * | | | HET | | F |
| WS | Kohler | Sterling Rockton RF | 402024: 402021 bowl, 402022 tank | NM | WS | 2 | R | | * | | | HET | | F |
| WS | Kohler | Sterling Stanton EL | 402040: 402030 bowl, 402031 tank | NM | WS | 2 | E | | * | | | HET | | F |
| 15-055 | Kohler | Strela EL ADA | K-3598 | NM | WS | 2 | E | * | | | | HET | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) |
|--|-----------------------------|-----------------------------------|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | |
| WS-15 | Kohler | Wellworth | K-3577: 4179 bowl, 4436 tank | NM | WS | | | | | | | | | |
| WS-15 | Kohler | Wellworth Class 5 EL | K-3575: 4198 bowl, 4436 tank | NM | WS | 2 | | | | | | | | F |
| 7-508 | Kohler | Wellworth Pressure Lite EL | K-3531: 4303 bowl, 4484 tank | 1,000 | WS | 2 | E | | | | | HET | | F |
| 15-090 | Kohler | Devonshire Class 5 EL ADA | K-3678: 4288 bowl, 4446 tank | 1,000 | WS | 2 | E | * | | | | | HET | F |
| 7-509 | Kohler | Highline Pressure Lite EL ADA | K-3519: 4304 bowl, 4484 tank | 1,000 | WS | 2 | E | * | | | | HET | | F |
| WS-15 | Laufen Bathrooms | Alessi Dot (wall-mount) | 8.2090.0 wall-mount bowl used with Geberit 111.335 system | NM | WS | 2 | | | | | | | | |
| WS-15 | Laufen Bathrooms | Alessi Floor | 8.2297.6 bowl, 8.2697.1 tank | NM | WS | 2 | | | | | | | | F |
| WS-15 | Laufen Bathrooms | Form | 8.2367.6 bowl, 8.2767.3 tank | NM | WS | 2 | | | | | | | | |
| WS-15 | Laufen Bathrooms | Laufen | 8.2495.8 bowl, 8.2695.3 tank | NM | WS | 2 | | | | | | | | |
| WS-15 | Laufen Bathrooms | Mylife | 8.2294.3 bowl, 8.2694.1 tank | NM | WS | 2 | | | | | | | | |
| WS-15 | Laufen Bathrooms | Mylife (wall-mount) | 8.2094.6 wall-mount bowl used with Geberit 111.335 dual flush system | NM | WS | 2 | | | | | | HET | | R W |
| WS-15 | Laufen Bathrooms | Palomba | 8.2480.6 bowl, 8.2880.3 tank | NM | WS | 2 | | | | | | | | F |
| WS-15 | Laufen Bathrooms | Pro (wall-mount - compact) | 2095.2: 8.2095.2 wall-mount bowl used with Geberit 111.335 dual flush system | NM | WS | 2 | | | | | | HET | | R W |
| WS-15 | Laufen Bathrooms | Pro (wall-mount) | 2095.0: 8.2095.0 wall-mount bowl used with Geberit 111.335 dual flush system | NM | WS | 2 | | | | | | HET | | R W |
| 14-076 | Lowe's | Aquasource HET EL ADA | SKU#0005905 (Foremost #TL-7600HC-HET-LO) | 400 | WS | 2 | E | * | | | | | HET | F |
| 14-115 | Lowe's | Aquasource HET EL ADA | SKU#0061042 (Foremost #AIO 7800HET-LO) | 700 | | 2 | E | * | | | | | HET | F |
| WS-15 | Lowe's (by Axent) | Aquasource EL ADA | 98923 | NM | WS | | | E | * | | | | HET | F |
| WS-15 | Lowe's (by Axent) | Aquasource EL ADA | 312795 | NM | WS | | | E | * | | | | HET | F |
| WS-15 | Lowe's (by Axent) | Aquasource RF | 12293 | NM | WS | | | R | | | | | HET | F |
| WS-15 | Lowe's (by Foremost) | Aquasource EL | 005905 | NM | WS | 2 | E | | | | | | HET | F |
| WS-15 | Lowe's (by Foremost) | Aquasource EL | 0061042 | NM | WS | 2 | E | | | | | | HET | F |
| WS-15 | Lowe's (by Foremost) | Aquasource RF | 0104502 | NM | WS | 2 | R | | | | | | HET | F |
| WS-15 | Lowe's (by Quality Craft) | Aquasource | 9311K (one-piece) | NM | WS | 1 | | | | | | | HET | F |
| WS-15 | Lowe's (by Tangshan Monopy) | None EL (one-piece) | SKU#0164903 (one-piece) | NM | WS | 1 | E | | | | | | HET | F |
| 11-068 | Mansfield | EcoQuantum - EL | 144 bowl, 119 tank | 1,000 | WS | 2 | E | * | | * | | HET | | R W |
| 10-125 | Mansfield | EcoQuantum EL | 147 bowl, 119 tank | 1,000 | WS | 2 | E | | | * | | HET | | F |
| 10-118 | Mansfield | EcoQuantum EL | 149 bowl, 119 tank | 550 | WS | 2 | E | | | * | | HET | | R F |
| 10-123 | Mansfield | EcoQuantum EL ADA | 148 bowl, 119 tank | 1,000 | WS | 2 | E | * | | * | | HET | | F |
| 10-124 | Mansfield | EcoQuantum RF | 146 bowl, 119 tank | 1,000 | WS | 2 | R | | | * | | HET | | F |
| 14-033 | Mansfield | Maverick | 111 bowl, 112 tank | 700 | WS | 2 | | | | | | | HET | F |
| 14-001 | Mansfield | Maverick | 114 bowl, 112 tank | 1,000 | WS | 2 | E | * | | | | | HET | F |
| 14-034 | Mansfield | None RF | 113 bowl, 112 tank | 700 | WS | 2 | R | | | | | | HET | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|-------------------------------|---|---|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| 12-027 | Mansfield | Prestigio 4 EL | 704 (one-piece) | 950 | WS | 1 | E | | | | | | HET | | F |
| 11-070 | Mansfield | Quantum EL | 144 bowl, 153 tank | 900 | WS | 2 | E | * | | | | | HET | R | W |
| 10-121 | Mansfield | QuantumOne EL | 147 bowl, 153 tank | 1,000 | WS | 2 | E | | | | | | HET | | F |
| 10-119 | Mansfield | QuantumOne EL | 149 bowl, 153 tank | 1,000 | WS | 2 | E | | | | | | HET | R | F |
| 10-120 | Mansfield | QuantumOne EL ADA | 148 bowl, 153 tank | 1,000 | WS | 2 | E | * | | | | | HET | | F |
| 10-122 | Mansfield | QuantumOne RF | 146 bowl, 153 tank | 1,000 | WS | 2 | R | | | | | | HET | | F |
| 14-024 | Mansfield/Colceramica | Enso EL ADA | 177 bowl, 178 tank | 800 | WS | 2 | E | * | * | | | | HET | | F |
| 15-089 | Mansfield/Colceramica | Forzazul RF | 3002 bowl, 4463 tank | 750 | | 2 | R | | | | | | | HET | |
| 13-064 | Niagara | Claremont EL ADA (Flapperless) | N4417 bowl, N4415T tank | 800 | | 2 | E | * | | | | | | HET | F |
| 11-046 | Niagara | Claremont One-Piece EL | N4418 (one piece) | 500 | | 1 | E | | | | | | | HET | F |
| 13-060 | Niagara | Cottage Flapperless HET EL | N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565 | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 14-043 | Niagara | Dual Flush EL ADA | N2316: N2316B bowl, N2316T tank (Also sold at Home Depot in a Combination All-In-One package as HD SKU 215-583 - UPC Bar Code 732291231610) | 1,000 | WS | 2 | E | * | * | | | | HET | | F |
| 14-105 | Niagara | Dual Flush EL ADA | N2328: N2328B bowl, N2328T tank | 1,000 | WS | 2 | E | * | * | | | | HET | | F |
| 10-023 | Niagara | Ecologic EL ADA HET (Flapperless) | N2225E: N2225EB bowl, N2225T tank. | 800 | WS | 2 | E | * | | | | | | HET | F |
| 12-038 | Niagara | Ecologic RF ADA | N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model N2225R-165) | 1,000 | WS | 2 | R | | | | | | | HET | F |
| 10-024 | Niagara | Ecologic RF HET (Flapperless) | N2225R: N2225RB bowl, N2225T tank (NOTE: model replaced by N2225R Ecologic RF ADA HET - Report No. 12-038) | 500 | WS | 2 | R | | | | | | | HET | F |
| 12-129 | Niagara | Glacier Bay EL ADA (All-In-One package) | N2225E-RT: N2225E-RT bowl, N2225T-RT tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518) (Fluidmaster fill valve) | 600 | WS | 2 | E | * | | | | | | HET | F |
| 14-002 | Niagara | None - EL ADA | N7717: N7717 bowl, N7715T tank - 3L/0.8-gal flush NOTE: | 500 | WS | 2 | E | * | 0.8g 3L | | | | | HET | F |
| 14-003 | Niagara | None - RF ADA | N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 400 | WS | 2 | R | * | 0.8g 3L | | | | | HET | F |
| 14-042 | Niagara | None EL ADA | 331-725: 331-725B bowl, 331-725T tank | 650 | | 2 | E | * | | | | | | HET | F |
| 12-036 | Niagara | Power One EL | N2310: 2310B bowl, 2310T tank | 1,000 | WS | 2 | E | | | | | | | HET | F |
| 15-076 | Niagara | PowerOne RF | N2310R: N2310R bowl, N2310T tank | 800 | WS | 2 | R | | | | | | | HET | F |
| 13-008 | Niagara | Simcoe RF | N4416: N4416 bowl, N4415T tank | 1,000 | | 2 | R | | | | | | | HET | F |
| WS-13 | OPS - Original Pacific Supply | None EL | T/X-6688E: T-6688E bowl, X-6688 tank | NM | WS | 2 | E | | * | | | | | HET | F |
| WS-15 | OPS - Original Pacific Supply | None EL | T/X-66892E: T-66892E bowl, X-66892 tank | NM | WS | 2 | E | | | | | | | HET | F |
| WS-15 | OPS - Original Pacific Supply | None EL | T/X-66892H: T-66892H bowl, X-66892 tank | NM | WS | 2 | E | | | | | | | HET | F |
| WS-13 | OPS - Original Pacific Supply | None EL ADA | T/X-6688H: T-6688H bowl, X-6688 tank | NM | WS | 2 | E | * | * | | | | | HET | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|-------------------------------|--|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| WS-13 | OPS - Original Pacific Supply | None RF | T/X-6688: T-6688 bowl, X-6688 tank | NM | WS | 2 | R | | * | | | HET | | | F |
| WS-15 | OPS - Original Pacific Supply | None RF | T/X-66892: T-66892 bowl, X-66892 tank | NM | WS | 2 | R | | | | | HET | | | F |
| WS-15 | Orion | Forte EL | 50320 bowl, 5129 tank | NM | WS | 2 | E | * | | | | | | HET | |
| 15-006 | Orion | Green Sense EL ADA | 50320 bowl, 51299 tank | 500 | WS | 2 | E | * | | | | | | HET | |
| WS-12 | Orion | Green Sense RF | 50299 bowl, 51299 tank | NM | WS | 2 | R | | | | | | | HET | |
| 15-037 | Porcher (American Standard) | Archive EL ADA (one-piece) | 97920-28 (one-piece) | 1,000 | WS | 1 | E | * | | | | | | HET | |
| 15-035 | Porcher (American Standard) | Chapeau EL ADA (one-piece) | 97820-28 (one-piece) | 1,000 | WS | 1 | E | * | | | | | | HET | |
| 15-031 | Porcher (American Standard) | Ovale EL ADA | 90750-28: 41750-28 bowl, 40750-28 tank | 1,000 | WS | 2 | E | * | | | | | | HET | |
| 15-139 | Porcher (American Standard) | Ovale EL ADA (one-piece) | 97620-28 (one-piece) | 1,000 | WS | 1 | E | * | | | | | | HET | |
| 15-038 | Porcher (American Standard) | Ovale RF ADA | 90850-28: 41850-28 bowl, 40750-28 tank | 1,000 | WS | 2 | R | * | | | | | | HET | |
| 15-138 | Porcher (American Standard) | Veneto III EL (one-piece) | 97320-28 (one-piece) | 1,000 | WS | 1 | E | | | | | | | HET | |
| 15-051 | Price Pfister | None EL | VTP-E20W (one-piece) | 600 | | 1 | E | | * | | | HET | | | F |
| 13-115 | Price Pfister | None EL | VTP-E51: C-5518 bowl, S-5518 tank | 1,000 | | 2 | E | | * | | | HET | | | F |
| 13-061 | Price Pfister | None EL ADA | VTP-E31: C-1003 bowl, S-1003 tank | 1,000 | | 2 | E | * | * | | | HET | | | F |
| 15-026 | Price Pfister | None RF | VTP-E40 (one piece) | 600 | | 1 | R | | * | | | HET | | | F |
| 13-062 | Price Pfister (by HCG) | None EL ADA | VTP-E21: C-1003 bowl, S-1004 tank | 1,000 | WS | 2 | E | * | * | | | HET | | | F |
| 11-066 | PROFLO | Cascade EL | PF9301 bowl; PF9312 tank | 400 | WS | 2 | E | | * | | | HET | | | F |
| 11-065 | PROFLO | Cascade EL ADA | PF9303 bowl; PF9312 tank | 450 | WS | 2 | E | * | * | | | HET | | | F |
| 11-067 | PROFLO | Cascade RF | PF9300 bowl; PF9312 tank | 500 | WS | 2 | R | | * | | | HET | | | F |
| 13-109 | PROFLO | Foyle EL ADA | PF6101 bowl, PF6112HE tank (Fluidmaster fill valve) | 800 | WS | 2 | E | * | | | | | | HET | |
| 11-114 | PROFLO | MacLair EL | PF9401 bowl; PF9412 tank | 850 | WS | 2 | E | | | | | | | HET | |
| 11-112 | PROFLO | MacLair RF | PF9400 bowl; PF9412 tank | 900 | WS | 2 | R | | | | | | | HET | |
| 14-040 | PROFLO | None EL | PF1601 bowl, PF1612 tank | 900 | WS | 2 | E | | | | | | HET | | F |
| WS-12 | PROFLO | None EL | PF9201 bowl; PF9212 tank | NM | WS | 2 | E | | * | | | HET | | | F |
| 13-104 | PROFLO | None EL | PF6101 bowl; PF6112HE tank (R&T fill valve) | 900 | WS | 2 | E | | | | | | | HET | |
| 14-041 | PROFLO | None EL ADA | PF1603 bowl, PF1612 tank | 900 | WS | 2 | E | * | | | | | HET | | F |
| 13-113 | PROFLO | None EL ADA | PF6201 bowl; PF6212HE tank | 900 | WS | 2 | E | | | | | | | HET | |
| 13-111 | PROFLO | None EL ADA | PF9403 bowl; PF 9412 tank (Fluidmaster fill valve) | 950 | WS | 2 | E | * | | | | | | HET | |
| 13-098 | PROFLO | None EL ADA | PF9403 bowl; PF 9412 tank (R&T fill valve) | 950 | WS | 2 | E | | | | | | | HET | |
| WS-12 | PROFLO | None RF | PF9200 bowl; PF9212 tank | NM | WS | 2 | R | | * | | | HET | | | F |
| 12-015 | Quality Craft | Alexis HET Dual Flush Toilet in Box EL ADA | 30014K: 3001 bowl, 3004 tank (insulated) | 900 | WS | 2 | E | * | * | | | HET | | | F |
| 12-014 | Quality Craft | Alexis HET Toilet in a Box - EL ADA | 30013K: 3001 bowl, 3003 tank (insulated) | 900 | WS | 2 | E | * | | | | | | HET | |
| 12-009 | Quality Craft | None - EL ADA | 3001/3003 (insulated tank) | 900 | | 2 | E | * | | | | | | HET | |
| 12-011 | Quality Craft | None - EL ADA | 3001/3004 (insulated tank) | 900 | | 2 | E | * | * | | | HET | | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|--------------------------|--|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|-----|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | Model Name | | Model Number | | | | | | | |
| WS-15 | Quality Craft | None (one-piece) | 9311 (one-piece) (NOTE: Also sold as Combination Toilet in a Box 9311KQ with installation accessories) | NM | WS | 1 | | | | | | | HET | | F |
| 9-003 | RAK Ceramics | Venice EL | VN03 bowl, VN10 tank | 500 | | 2 | E | | * | | | | HET | | F |
| 15-085 | Roca | Dama Senso ADA | 59361 bowl, 59570 tank | 800 | | | S | * | * | | | | HET | | F |
| 15-045 | Roca | Hall Dual-Flush | 67361 bowl, 67570 tank | 850 | | 2 | S | * | * | | | | HET | | F |
| 15-044 | Roca | Happening Dual-Flush ADA | 65361 bowl, 65570 tank | 800 | | 2 | S | * | * | | | | HET | | F |
| 14-045 | Roca | Johnson Suisse, Cottage EL ADA (one-piece) | No number | 400 | | 1 | E | * | 1.25g 4.7L | | | | HET | | F |
| 13-141 | Rona | Europa EL | SKU#7369129 (Foremost #TL-8271E-WL) | 800 | | 1 | E | | | | | | HET | | F |
| 9-044 & 13-147 | Rona | Gemini Dual Flush ADA | SKU#7369068 (Foremost # TL-2100-*L) | 1,000 | WS | 1 | S | * | * | | | | HET | | F |
| 8-539 | Rona | Gemini Dual Flush RF | SKU# 7369067 (Foremost #TL-2005-*L) | 800 | | 2 | R | | * | | | | HET | | F |
| 13-131 | Rona | HET TTG RF | SKU#7369128 (Foremost #TL-7600HC-HETR) (Fluidmaster tank trim) | 1,000 | WS | 2 | R | * | | | | | | HET | F |
| 13-132 | Rona | HET TTG RF | SKU#7369128 (Foremost #TL-7600HC-HETR-*L (lined tank) (Fluidmaster tank trim) | 900 | WS | 2 | R | * | | | | | | HET | F |
| 8-530 | Rona | Rona Collection | SKU#2003354 (Foremost #TL-8267-WL) | 700 | | 2 | S | | * | | | | HET | | F |
| 15-015 | Saniflo | Saniflush EL ADA (lined tank) | SF04B bowl, SF01T tank (lined) | 850 | WS | 2 | E | * | * | | | | | | R F |
| 15-012 | Saniflo | Saniflush RF ADA (lined tank) | SF03B bowl, SF01T tank (lined) | 750 | WS | 2 | R | * | * | | | | | | R F |
| 12-017 | Seasons (HD Supply) | Dual Flush EL ADA | SE 10056 bowl, SE10055 tank (Same as Foremost AIOB1000-E bowl, AIOT1000 tank; also HD Supply Facilities Maint Nos. 564852 and 564851, respectively) | 1,000 | WS | 2 | E | * | | * | | | HET | | F |
| WS-15 | Seasons (HD Supply) | None EL | 564-833 bowl, 564-832 tank | NM | WS | 2 | E | | | | | | | HET | F |
| WS-15 | Seasons (HD Supply) | None EL | 564-852 bowl, 564-851 tank | NM | WS | 2 | E | | | | | | HET | | |
| WS-13 | Seasons (HD Supply) | None EL | SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively) | NM | WS | 2 | E | | | | | | | HET | F |
| 13-135 | Seasons (HD Supply) | None EL (one-piece) | SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim) | 500 | WS | 1 | E | | | | | | | HET | F |
| WS-13 | Seasons (HD Supply) | None RF | SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively) | NM | WS | 2 | R | | | | | | | HET | F |
| 14-030 | Swell Holding | Aquasenses RF | ES22114: ES2214 bowl, ES3214 tank | 350 | WS | 2 | R | | | | | | HET | | F |
| 12-028 | Tangshan - Ayers Bath | Dofiny - EL ADA | UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank | 550 | WS | 2 | E | * | | | | | | HET | F |
| WS-13 | Tangshan - Ayers Bath | None EL | UAC1303BS-AA bowl, UAT1304-AA tank | NM | WS | 2 | E | | | | | | | HET | F |
| WS-13 | Tangshan - Ayers Bath | None RF (one-piece) | UAC1003BS-AA (one-piece) | NM | WS | 1 | R | | | | | | | HET | F |
| WS-15 | Tangshan Monopy Ceramics | None EL (one-piece) | 104 (one-piece) | NM | WS | 1 | E | | | | | | | HET | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|--------------------------|---|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| WS-15 | Tangshan Monopy Ceramics | None EL (one-piece) | 104B (one-piece) | NM | WS | 1 | E | | | | | | | HET | F |
| WS-15 | Tangshan Monopy Ceramics | None RF (one-piece) | 102B (one-piece) | NM | WS | 1 | R | | | | | | | HET | F |
| 15-RN | Toto | Aquia EL | CST414M: CT414 bowl, ST413M tank | 800 | WS | 2 | E | | * | | | | | HET | F |
| WS-15 | Toto | Aquia EL (one-piece) | CT412MF (one-piece) | NM | WS | 1 | E | | | | | | | HET | F |
| WS-15 | Toto | Aquia EL (one-piece) | CT412MF.10 (one-piece) | NM | WS | 1 | E | | | | | | | HET | F |
| WS-15 | Toto | Aquia EL (one-piece) | CT418FG (one-piece) | NM | WS | 1 | E | | | | | | | HET | F |
| 12-082 | Toto | Aquia II EL | CST416M: CT416 bowl, ST416M tank | 500 | WS | 2 | E | | | | | | | HET | F |
| 12-084 | Toto | Aquia III EL | CST464M: CT464 bowl, ST464M tank | 500 | WS | 2 | E | | | | | | | HET | F |
| 12-080 | Toto | Aquia IIIUH EL ADA | CST464MF: CT464F bowl, ST464M tank | 500 | WS | 2 | E | * | | | | | | HET | F |
| 12-083 | Toto | Drake II EL ADA (Formerly Gwyneth Two-Piece) | CST454CEF(G): C454CEF(G) bowl, ST454E tank | 800 | WS | 2 | E | * | | | | | | HET | F |
| 11-122 | Toto | EcoClayton | CST784EF: C784EF bowl, ST784E tank | 500 | WS | 2 | E | * | | | | | | HET | F |
| 11-125 | Toto | EcoDartmouth EL ADA | CST754EF: C754EF bowl, ST753E tank | 700 | WS | 2 | E | * | | | | | | HET | F |
| 11-061 | Toto | EcoDrake EL | CST744E(G): C744E(G) bowl, ST743E tank | 600 | WS | 2 | E | | | | | | | HET | F |
| WS-15 | Toto | EcoDrake EL | CST744EF.10: C744EF.10 bowl, ST743E tank | NM | WS | 2 | E | | | | | | | HET | F |
| 11-062 | Toto | EcoDrake EL ADA | CST744EL: C744EL bowl, ST743E tank | 900 | WS | 2 | E | * | | | | | | HET | F |
| 11-060 | Toto | EcoDrake RF | CST743E: C743E bowl, ST743E tank | 500 | WS | 2 | R | | | | | | | HET | F |
| 13-144 | Toto | EcoGuinevere EL ADA | CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G) | 550 | WS | 1 | E | * | | | | | | HET | F |
| 14-106 | Toto | EcoLloyd EL ADA (one-piece) | CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece) | 600 | WS | 1 | E | * | | | | | | HET | F |
| 11-121 | Toto | EcoNexus EL ADA | CST794EF: CT794EF bowl, ST794E tank | 500 | WS | 2 | E | * | | | | | | HET | F |
| 12-081 | Toto | EcoPromenade EL ADA | CST424EF(G): C424EF(G) bowl, ST423E tank | 400 | WS | 2 | E | * | | | | | | HET | F |
| 13-146 | Toto | EcoPromenade RF | CST423EF(G): C423EF(G) bowl, ST423E tank | 550 | WS | 2 | R | | | | | | | HET | F |
| 14-112 | Toto | EcoSoiree EL ADA (one-piece) | CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece) | 600 | WS | 1 | E | * | | | | | | HET | F |
| 11-120 | Toto | EcoSupreme EL | CST864E OR MS864114E OR MW864***E | 500 | WS | 1 | E | | | | | | | HET | F |
| WS-13 | Toto | EcoSupreme Rf | CST863E OR MS863113E OR MW863***E | NM | WS | 1 | E | | | | | | | HET | F |
| 11-118 | Toto | EcoUltramax EL | CST854E(G) OR MS854114E(G) OR MW854***E(G) | 500 | WS | 1 | E | | | | | | | HET | F |
| 11-119 | Toto | EcoUltramax EL ADA | CST854EL(G) OR MS854114EL(G) OR MW854***EL(G) | 500 | WS | 1 | E | * | | | | | | HET | F |
| 11-117 | Toto | EcoUltramax RF | CST853E OR MS853113E OR MW853***E | 550 | WS | 1 | R | | | | | | | HET | F |
| 11-124 | Toto | EcoWhitney EL ADA | CST754EFN: C754EF bowl, ST754E tank | 700 | WS | 2 | E | * | | | | | | HET | F |
| 13-143 | Toto | Neorest EL | 550 | 800 | | 1 | E | | * | | | | | HET | F |
| 11-123 | Toto | Ultramax II EL ADA (Formerly Gwyneth One-Piece) | CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G) | 500 | WS | 1 | E | * | | | | | | HET | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|----------------------|-----------------------------------|--|--|--|--------------------------|----------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| 13-107 | Tynan Plumbing | Avoca EL ADA | 4344: 0344 bowl, 1344 tank (Fluidmaster fill valve) | 900 | WS | 2 | E | * | | | | | HET | | F |
| 13-101 | Tynan Plumbing | Avoca EL ADA | 4344: 0344 bowl, 1344 tank (R&T fill valve) | 900 | WS | 2 | E | * | | | | | HET | | F |
| 11-066 | Tynan Plumbing | Cascade EL | 4353: 0353.01 bowl, 1312.01 tank | 400 | WS | 2 | E | | * | | | HET | | F | |
| 11-065 | Tynan Plumbing | Cascade EL ADA | 4354: 0354.01 bowl, 1312.01 tank | 450 | WS | 2 | E | * | * | | | HET | | F | |
| 11-067 | Tynan Plumbing | Cascade RF | 4352: 0352.01 bowl, 1312.01 tank | 500 | WS | 2 | R | | * | | | HET | | F | |
| 13-108 | Tynan Plumbing | Foyle EL ADA | 4345: 0345 bowl, 1345 tank (Fluidmaster fill valve) | 800 | WS | 2 | E | * | | | | | HET | | F |
| 13-103 | Tynan Plumbing | Foyle EL ADA | 4345: 0345 bowl, 1345 tank (R&T fill valve) | 900 | WS | 2 | E | * | | | | | HET | | F |
| 14-031 | Tynan Plumbing | Louth EL | 4510: 7510 bowl, 1712 tank | 900 | WS | 2 | E | | | | | | HET | | F |
| 14-032 | Tynan Plumbing | Louth EL ADA | 4512: 7512 bowl, 1712 tank | 900 | WS | 2 | E | * | | | | | HET | | F |
| 11-113 | Tynan Plumbing | MacLair EL | 4343: 0343 bowl, 1342HET tank | 850 | WS | 2 | E | | | | | | HET | | F |
| 13-110 | Tynan Plumbing | MacLair EL ADA | 4347: 0347 bowl, 1342 tank (Fluidmaster fill valve) | 950 | WS | 2 | E | * | | | | | HET | | F |
| 13-097 | Tynan Plumbing | MacLair EL ADA | 4347: 0347 bowl, 1342 tank (R&T fill valve) | 950 | WS | 2 | E | * | | | | | HET | | F |
| 11-111 | Tynan Plumbing | MacLair RF | 4342: 0342 bowl, 1342HET tank | 900 | WS | 2 | R | | | | | | HET | | F |
| 13-112 | Tynan Plumbing | Nore EL ADA | 4346: 0346 bowl, 1346 tank | 900 | WS | 2 | E | * | | | | | HET | | F |
| WS-15 | Unison Ridge Limited | None | BT-08E-46 | NM | WS | | | | | | | | | | |
| WS-15 | Unison Ridge Limited | None | BT-08R-46 | NM | WS | | | | | | | | | | |
| WS-15 | Unison Ridge Limited | None | BT-16E-46 | NM | WS | | | | | | | | | | |
| WS-15 | Unison Ridge Limited | None | UB1415R bowl, UT14248 tank | NM | WS | 2 | R | | | | | | | | |
| WS-15 | Unison Ridge Limited | None | UB1516E bowl, UT10348 tank | NM | WS | 2 | E | | | | | | | | |
| WS-15 | Villeroy & Boch | Arlington EL ADA | 6119.230: 6119.033 bowl, 6119.028 tank | NM | WS | 2 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Arlington EL ADA (one-piece) | 6119.128 (one-piece) | NM | WS | 1 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Arlington RF | 6119.120: 6119.130 bowl, 6119.028 tank | NM | WS | 2 | R | | | | | | HET | | |
| 13-053 | Villeroy & Boch | Aveo Dual-Flush EL | 6614.10 bowl, 7724-U1 tank | 700 | WS | 2 | E | | * | | | HET | | | F |
| WS-15 | Villeroy & Boch | Aveo EL | 6612 10 XX | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Barrymore ADA | 6171.230: 6171.033 bowl, 6171.028 tank | NM | WS | 2 | | | | | | | HET | | |
| WS-15 | Villeroy & Boch | Bellevue EL | 5664 10 | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Bellevue EL | 5666 11 bowl, 5764 U1 tank | NM | WS | 2 | E | | | | | HET | | | F |
| WS-15 | Villeroy & Boch | Celebration EL ADA (one-piece) | 6131.128 (one-piece) | NM | WS | 1 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Century EL | 6653 10 | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Hommage EL | 6661 10 | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Hommage EL | 6662 11 bowl, 7721 U1 tank | NM | WS | 2 | E | | | | | HET | | | F |
| WS-15 | Villeroy & Boch | Malibu EL ADA | 6116.128 (one-piece) | NM | WS | 1 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Malibu RF ADA | 6116.213 (one-piece) | NM | WS | 1 | R | * | | | | | HET | | |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|-----------------|---|--|--|--|--------------------------|----------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | | | | | | | | | | | | | | |
| 4-L (1.1-gal) Pressure-assist (HET) | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| WS-15 | Villeroy & Boch | Neo-Venetian EL ADA | 6123.128 (one-piece) | NM | WS | 1 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Neo-Venetian EL ADA | 6123.210: 6123.013 bowl, 6123.028 tank | NM | WS | 2 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Neo-Venetian EL ADA | 6123.230: 6123.033 bowl, 6123.028 tank | NM | WS | 2 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Oblic EL | 6664 1L | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Oblic EL | 6664 1R | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Palermo EL ADA | 6137.230: 6137.033 bowl, 6137.028 tank | NM | WS | 2 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Palermo EL ADA (one-piece) | 6006.128 (one-piece) | NM | WS | 1 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Palermo RF ADA | 6137.213: 6137.313 bowl, 6137.028 tank | NM | WS | 2 | R | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Presley EL ADA | 6401.230: 6401.033 bowl, 6401.028 tank | NM | WS | 2 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Presley EL ADA (one-piece) | 6401.128 (one-piece) | NM | WS | 1 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Pure Stone EL | 5670 10 | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Richmond EL ADA | 6125.230: 6123.033 bowl, 6125.028 tank | NM | WS | 2 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Richmond EL ADA (one-piece) | 6125.128 (one-piece) | NM | WS | 1 | E | * | | | | | HET | | |
| WS-15 | Villeroy & Boch | Richmond RF | 6125.210: 6123.013 bowl, 6125.028 tank | NM | WS | 2 | R | | | | | | HET | | |
| WS-15 | Villeroy & Boch | Sentique EL | 5622 10 | NM | WS | | E | | | | | | HET | R | W |
| WS-15 | Villeroy & Boch | Sentique EL | 5625 11 bowl, 5722 U1 tank | NM | WS | 2 | E | | | | | HET | | | F |
| WS-15 | Villeroy & Boch | Subway EL | 6600 10 | NM | WS | | E | | | | | | HET | R | W |
| WS-14 | Villeroy & Boch | Subway EL | 6610.10 bowl, 7723-U1 tank | NM | WS | 2 | E | | * | | | HET | | | |
| WS-15 | Villeroy & Boch | Twist EL | 5C10 | NM | WS | 1 | E | | | | | | HET | | F |
| 6-627 | VitrA | Evergreen (formerly Arkitekt) EL ADA | 5065 bowl, 5066 tank | 500 | WS | 2 | E | * | | | | | HET | | F |
| 6-607 | VitrA | Evergreen (formerly Corina) Dual Flush Comfort EL ADA | 5074 bowl, 5055 tank | 800 | WS | 2 | E | * | * | | | | HET | | F |
| 10-108 | VitrA | Evergreen (formerly Corina) Dual Flush RF | 5076 bowl, 5055 tank | 500 | WS | 2 | R | | * | | | | HET | | F |
| WS-15 | VitrA | EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L) | 5195 bowl, 5400 tank | NM | WS | 2 | E | * | | | | | HET | | F |
| 9-048 | VitrA | EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L) | 5195 bowl, 5402 tank | 600 | WS | 2 | E | * | | | | | HET | | F |
| WS-15 | VitrA | EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L) | 5195 bowl, 5404 tank | NM | WS | 2 | E | * | | | | | HET | | F |
| WS-15 | VitrA | EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L) | 5196 bowl, 5400 tank | NM | WS | 2 | R | * | | | | | HET | | F |
| 9-047 | VitrA | EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L) | 5196 bowl, 5402 tank | 800 | WS | 2 | R | * | | | | | HET | | F |
| WS-15 | VitrA | EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L) | 5196 bowl, 5404 tank | NM | WS | 2 | R | * | | | | | HET | | F |
| | Vortens-Lamosa | Dali EL | 5101 bowl, 5201 tank | NM | WS | 2 | E | | * | | | | HET | | F |
| | Vortens-Lamosa | Delfos | 3130 | NM | WS | 1 | | | * | | | | HET | | F |
| WS-14 | Vortens-Lamosa | Dominic Victory RF | 3209 bowl, 3472 tank | NM | WS | 2 | R | | * | | | | HET | | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) | |
|--|-------------------------------|-------------------------------------|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|---|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | | | | | | | | | | |
| Model Name | Model Number | | | | | | | | | | | | | | |
| WS-14 | Vortens-Lamosa | Dominic EL | 3113 bowl, 3472 tank | NM | WS | 2 | E | | * | | | HET | | | F |
| WS-14 | Vortens-Lamosa | Dominic EL ADA | 3123 bowl, 3472 tank | NM | WS | 2 | E | * | * | | | HET | | | F |
| WS-14 | Vortens-Lamosa | Dominic RF | 3208 bowl, 3472 tank | NM | WS | 2 | R | | * | | | HET | | | F |
| 13-031 | Vortens-Lamosa | Hurricane EL | 3137 bowl, 3473 tank | 800 | WS | 2 | E | | | | | | | HET | F |
| 13-036 | Vortens-Lamosa | Hurricane RF | 3213 bowl, 3473 tank | 600 | WS | 2 | R | | | | | | | HET | F |
| 12-128 | Vortens-Lamosa | Hurricane RF ADA | 3140 bowl, 3473 tank | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 13-034 | Vortens-Lamosa | Loretto EL | 3137 bowl, 3475 tank | 800 | WS | 2 | E | | | | | | | HET | F |
| 13-033 | Vortens-Lamosa | Loretto EL ADA | 3140 bowl, 3475 tank | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 13-029 | Vortens-Lamosa | Loretto RF | 3213 bowl, 3475 tank | 800 | WS | 2 | R | | | | | | | HET | F |
| 10-050 | Vortens-Lamosa | Rhodas EL ADA (HET) | 3123 bowl, 3436 tank | 1,000 | WS | 2 | E | * | * | | | HET | | | F |
| 13-033 | Vortens-Lamosa | Superio EL ADA | 3140 bowl, 3475 tank | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 13-029 | Vortens-Lamosa | Superio RF | 3213 bowl, 3475 tank | 800 | WS | 2 | R | | | | | | | HET | F |
| | Vortens-Lamosa | Tornado EL | 3138 bowl, 3468 tank | NM | WS | 2 | E | | | | | | | HET | F |
| WS-14 | Vortens-Lamosa | Tornado EL | 3138 bowl, 3471 tank | NM | WS | 2 | E | * | | | | | | HET | F |
| 8-553 | Vortens-Lamosa | Tornado EL ADA | 3134 bowl, 3468 tank | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| WS-14 | Vortens-Lamosa | Tornado EL ADA | 3134 bowl, 3471 tank | NM | WS | 2 | E | | | | | | | HET | F |
| WS-12 | Vortens-Lamosa | Vienna ELX | 3113 bowl, 3420 tank | NM | WS | 2 | E | | | | | HET | | | F |
| 13-035 | Vortens-Lamosa | Vienna ELX | 3113 bowl, 3436 tank | 600 | WS | 2 | E | | * | | | HET | | | F |
| 11-063 | Vortens-Lamosa | Vienna RF | 3208 bowl, 3436V tank | 600 | WS | 2 | R | | * | | | HET | | | F |
| | Vortens-Lamosa | Vienna RF Dual Flush | 3208 bowl, 3420 tank | NM | WS | 2 | R | | * | | | HET | | | F |
| WS-12 | Vortens-Lamosa | Vienna Victory RF | 3209 bowl, 3420 tank | NM | WS | 2 | R | | * | | | HET | | | F |
| 10-052 | Vortens-Lamosa | Vienna Victory RF | 3209 bowl, 3436SPS tank | 600 | WS | 2 | R | | * | | | HET | | | F |
| WS-15 | WaterRidge-Milim G&G Ceramics | None | C531222 bowl, C600152 tank | NM | WS | 2 | | | | | | | | HET | |
| WS-14 | WaterRidge-Milim G&G Ceramics | None EL | C21075C: C531082 bowl, C600137 tank | NM | WS | 2 | E | | * | | | HET | | | F |
| 15-011 | WaterRidge-Milim G&G Ceramics | WaterRidge EL ADA | C21079C, 191575 tank | 800 | WS | 2 | E | * | * | | | HET | | | F |
| 12-037 | WaterRidge-Milim G&G Ceramics | WaterRidge Grace EL | C22055C (one-piece) Sold as Costco Item No. 386082 | 500 | WS | 1 | E | | * | | | HET | | | F |
| 12-040 | Western Pottery | Environmental Dual Flush EL | B812 DF bowl, T8-ULF-DF tank | 550 | WS | 2 | E | | * | | | HET | | | F |
| WS-15 | Western Pottery | None | B422PF-1: 422PF bowl, T-4ULF-PF tank (1.0 gal) | NM | WS | 2 | | | | | | | | HET | F |
| WS-15 | Western Pottery | None | B422PF-1-28: 422PF bowl, T-4ULF-PF tank (1.28 gpf) | NM | WS | 2 | | | | | | | | HET | F |
| 15-047 | Western Pottery | None EL | 832HET: B832 bowl, T8-HET tank | 900 | WS | 2 | E | | | | | | | HET | F |
| 15-049 | Western Pottery | None EL ADA | 817DF: 817 bowl, T8-DF tank | 800 | WS | 2 | E | * | | | | HET | | | F |
| 15-048 | Western Pottery | None EL ADA | 872HET: B872 bowl, T8-HET tank | 1,000 | WS | 2 | E | * | | | | | | HET | F |
| 15-046 | Western Pottery | None RF | 822HET: B822 bowl, T8-HET tank | 900 | WS | 2 | R | | | | | | | HET | F |

| MaP Test Report No. (for internal use) | Make | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets | 1-piece or 2-piece model | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush on a dual-flush system | Power OR Pressure-Assisted Full Flush at 1.6-G (6-L) | Type of HET | | | Rear Discharge Floor-mounted (F) UK wall-mounted (W) |
|--|-------------------------------|-------------------------------------|--|--|--|--------------------------|---------------------------------------|--------------------------------------|--|--|-------------|--|---|--|
| | | Flush performance (MaP score) | | | | | | | | | Dual-Flush | Single-Flush Max 1.1-G (4-L) Pressure-Assist | Single-Flush Max 1.28 G (4.8 L) Gravity | |
| | | 350 grams to 475 grams | NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. | | | | | | | | | | | |
| | | Type/technology of toilet fixture | | | | | | | | | | | | |
| 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) | | 4-L (1.1-gal) Pressure-assist (HET) | | Gravity-fed & Vacuum-assist | | | | | | | | | | |
| Model Name | | Model Number | | | | | | | | | | | | |
| WS-15 | Western Pottery | Wrangler EL | 472PF-1: 472PF bowl, T-4ULF-PF tank (1.0 gpf) | NM | WS | 2 | E | | | | | HET | | F |
| WS-15 | Western Pottery | Wrangler EL | 472PF-1-28: 472PF bowl, T-4ULF-PF tank (1.28 gpf) | NM | WS | 2 | E | | | | | HET | | F |
| WS-15 | Western Pottery | Wrangler EL | B432PF-1-28: 432 PF bowl, ULF-T4 tank (1.28 gpf) | NM | WS | 2 | E | | | | | HET | | F |
| 10-117 & 12-120 | Western Pottery | Wrangler One EL | B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf) | 1,000 | WS | 2 | E | | | | | HET | | F |
| 15-162 | Winfield | None EL ADA | T3511: TB3511 bowl, TK3511 tank | 450 | WS | 2 | E | * | | | | HET | | F |
| 15-163 | Winfield | None EL ADA | T3512: TB3512 bowl, TK3512 tank | 400 | WS | 2 | E | * | | | | HET | | F |
| 15-161 | Winfield | None RF | T3513: TB3513 bowl, TK3513 tank | 450 | WS | 2 | R | | | | | HET | | F |
| WS-14 | Xiamen Lota International Co. | None EL | 582601 bowl, 582602 tank | NM | WS | 2 | E | | | | | HET | | |
| WS-14 | Xiamen Lota International Co. | None EL | 582603 bowl, 582604 tank | NM | WS | 2 | E | | | | | HET | | |
| WS-13 | Xiamen Lota International Co. | None EL | CT-113: CF-113 bowl, TA-113 tank | NM | WS | 2 | E | | | | | HET | | F |
| WS-13 | Xiamen Lota International Co. | None EL | CT-123: CF-123 bowl, TA-123 tank | NM | WS | 2 | E | | | | | HET | | F |
| 15-013 | Xiamen Lota International Co. | None EL ADA | CT-201: CF201 bowl, TA-201 tank | 950 | WS | 2 | E | * | | | | HET | | F |
| 15-014 | Xiamen Lota International Co. | None RF ADA | CT-202: CF202 bowl, TA-202 tank | 850 | WS | 2 | R | * | | | | HET | | |
| 6-637 | Zurn | EcoVantage Dual Flush EL | Z5572: Z5570 bowl, Z5562 tank | 800 | WS | 2 | E | | | * | | HET | | F |
| 6-639 | Zurn | EcoVantage Dual Flush EL ADA | Z5562: Z5560 bowl, Z5562 tank | 1,000 | WS | 2 | E | * | | * | | HET | | F |
| 6-634 | Zurn | EcoVantage EL | Z5571: Z5570 bowl, Z5561 tank | 800 | WS | 2 | E | | | | | HET | | F |
| 6-638 | Zurn | EcoVantage EL ADA | Z5561: Z5560 bowl, Z5561 tank | 1,000 | WS | 2 | E | * | | | | HET | | F |
| WS-12 | Zurn | EcoVantage Dual Flush RF | Z5577: Z5575 bowl, Z5562 tank | NM | WS | 2 | R | | | * | | HET | | F |
| WS-12 | Zurn | EcoVantage RF | Z5576: Z5575 bowl, Z5561 tank | NM | WS | 2 | R | | | | | HET | | F |

Notes: RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 gram waste removal threshold

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense

G - Gallons per Flush

L - Litres per Flush

RN - Renewed Listing